

## **Improving Hypertension Quality Metric Performance**

**All of SETMA's public reported audits are posted to the web for over 300 quality metrics. The following are the PCPI Hypertension metrics for 2009, 2012, 2011, and 2012.**

**Everyone could improve their performance if they would simple do what we have reviewed in our training sessions. Taking 30 seconds or less, you can improve by:**

- 1. Opening the Hypertension Disease Management tool and clicking on the "calculate assessment button"**
- 2. Which automatically calculates your stage, risk and class of hypertension**
- 3. Clicking on the "lifestyle changes"**
- 4. Clicking on the "Hypertension Plan"**
- 5. Clicking on the "follow-up document" That's five**

**clicks!**

**Then if the patient has not reached your goal or if they have not received the "follow-up document" that year: Print the document on the laser printer in your exam room and give it to them.**

**This will take less than 30 seconds. Your refusal to use these excellent tools reflects badly on SETMA. Please change your workflow to include these simple steps.**



**Physician Role in Hypertension Management**

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2009 through Dec 31, 2009

Report Criteria: Patients 18 And Older With a Chronic Diagnosis of Hypertension  
 Specialists Excluded

Location	Provider	Blood Pressure Measured	Repeat BP (Elevated)	Class Assessed	Weight Reduction Discussed	Sodium Intake Discussed	Alcohol Intake Discussed	Exercise Discussed	Follow-up Scheduled
SETMA 1	Aziz	99.6%	11.9%	34.7%	64.8%	9.9%	0.3%	72.6%	99.5%
	Duncan	98.9%	7.9%	7.6%	82.0%	11.5%	4.3%	95.1%	63.5%
	Henderson	99.3%	45.9%	61.1%	79.3%	40.5%	27.1%	81.4%	71.0%
	Murphy	99.4%	10.1%	11.1%	87.7%	8.9%	0.8%	79.3%	0.5%
	Thomas	99.6%	3.7%	34.9%	79.7%	15.7%	3.2%	48.6%	43.0%
<b>SETMA 1 Totals:</b>		99.3%	17.5%	27.8%	79.0%	16.3%	6.5%	77.9%	51.8%
SETMA 2	Anthony	99.8%	3.3%	76.1%	97.3%	16.2%	3.5%	98.9%	72.7%
	Anwar	99.8%	27.0%	72.1%	50.0%	17.7%	7.6%	99.8%	0.2%
	Colbert	100.0%	50.0%	12.5%	100.0%	0.0%	0.0%	75.0%	0.0%
	Cricchio, M	99.7%	20.5%	89.5%	98.1%	11.0%	0.2%	99.2%	0.1%
	Holly	99.9%	63.1%	94.4%	99.2%	63.5%	59.9%	98.7%	98.1%
	Leifeste	99.7%	56.1%	86.3%	95.3%	11.6%	5.8%	88.3%	0.1%
Wheeler	99.9%	7.4%	83.1%	98.4%	42.4%	35.4%	99.2%	7.1%	
<b>SETMA 2 Totals:</b>		99.8%	29.1%	81.4%	84.5%	23.5%	14.7%	97.4%	23.9%
SETMA West	Curry	100.0%	6.6%	45.0%	98.5%	27.3%	23.5%	99.3%	99.1%
	Halbert	97.4%	0.9%	39.5%	73.0%	11.3%	9.3%	65.4%	91.0%
	Horn	99.9%	41.4%	77.4%	80.5%	3.2%	1.2%	74.8%	1.8%
	Satterwhite	92.3%	10.1%	57.6%	90.3%	17.7%	15.1%	89.7%	83.8%
	Vardiman	99.5%	4.2%	61.6%	97.7%	17.1%	3.7%	96.1%	86.6%
Young	99.9%	11.4%	96.9%	98.1%	20.3%	15.1%	98.7%	82.9%	
<b>SETMA West Totals:</b>		98.0%	10.5%	60.3%	86.3%	14.7%	10.8%	83.0%	73.3%
<b>SETMA Totals:</b>		99.1%	17.0%	55.9%	83.1%	18.2%	10.6%	86.0%	49.0%

2019



**Physician Role in Hypertension Management**

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2010 through Dec 31, 2010

Report Criteria: Patients 18 And Older With a Chronic Diagnosis of Hypertension  
 Specialsits Excluded

Location	Provider	Blood Pressure Measured	Repeat BP (Elevated)	Class Assessed	Weight Reduction Discussed	Sodium Intake Discussed	Alcohol Intake Discussed	Exercise Discussed	Follow-up Scheduled
SETMA 1	Aziz	99.8%	23.7%	27.0%	82.8%	26.7%	19.0%	46.9%	98.4%
	Duncan	99.2%	28.8%	68.6%	94.1%	65.9%	62.4%	89.6%	76.0%
	Henderson	99.9%	88.7%	81.7%	98.1%	79.8%	74.6%	53.1%	72.5%
	Murphy	99.3%	30.4%	55.9%	93.5%	52.0%	48.2%	61.4%	0.6%
	Thomas	99.7%	6.1%	75.0%	87.1%	76.7%	72.1%	45.6%	81.1%
<b>SETMA 1 Totals:</b>		99.6%	31.8%	59.4%	91.1%	57.7%	52.7%	59.3%	60.4%
SETMA 2	Anthony	99.9%	7.9%	85.0%	98.8%	75.9%	72.2%	99.1%	73.9%
	Anwar	99.6%	32.1%	72.0%	88.7%	60.2%	55.4%	98.0%	0.2%
	Colbert	100.0%	--	0.0%	100.0%	0.0%	0.0%	50.0%	0.0%
	Cricchio, A	100.0%	--	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
	Cricchio, M	99.5%	66.1%	85.7%	98.8%	79.6%	77.1%	97.1%	26.7%
	Holly	99.5%	91.2%	98.2%	99.5%	95.9%	95.1%	97.0%	98.1%
	Leifeste	99.8%	69.8%	84.1%	99.2%	62.8%	60.1%	89.9%	0.2%
	Wheeler	99.6%	10.1%	84.9%	98.5%	71.7%	68.4%	98.2%	6.5%
<b>SETMA 2 Totals:</b>		99.7%	42.7%	82.2%	96.0%	70.7%	67.3%	96.6%	25.7%
SETMA West	Curry	99.9%	41.1%	48.7%	99.7%	48.3%	44.5%	98.2%	99.8%
	Deiparine	99.7%	27.9%	85.9%	99.2%	86.2%	82.7%	92.9%	95.1%
	Halbert	98.4%	12.8%	50.9%	87.9%	41.7%	38.9%	67.2%	94.0%
	Horn	99.9%	91.1%	92.1%	98.4%	71.5%	69.7%	69.5%	0.9%
	Qureshi	100.0%	62.2%	77.5%	98.2%	81.2%	72.5%	60.6%	94.5%
	Satterwhite	91.6%	22.2%	58.2%	90.9%	51.0%	49.6%	86.8%	84.5%
	Vardiman	99.8%	20.0%	69.6%	97.2%	49.7%	44.4%	71.8%	84.2%
	Young	99.5%	28.2%	61.7%	97.9%	36.5%	33.3%	92.0%	62.1%
<b>SETMA West Totals:</b>		98.6%	31.8%	68.4%	95.1%	58.2%	55.2%	79.4%	71.1%
<b>SETMA Totals:</b>		99.3%	34.3%	69.9%	94.0%	62.2%	58.4%	78.3%	52.3%

2011



**Physician Role in Hypertension Management**

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2011 through Dec 31, 2011  
 Report Criteria: Patients 18 And Older With a Chronic Diagnosis of Hypertension  
 Specialsits Excluded

Location	Provider	Blood Pressure Measured	Repeat BP (Elevated)	Class Assessed	Weight Reduction Discussed	Sodium Intake Discussed	Alcohol Intake Discussed	Exercise Discussed	Follow-up Scheduled
SETMA 1	Aziz	99.8%	29.3%	31.7%	93.9%	33.4%	24.5%	54.9%	98.7%
	Duncan	99.1%	11.9%	43.6%	92.1%	49.7%	42.8%	91.8%	73.4%
	Henderson	99.8%	76.8%	39.6%	96.1%	52.4%	39.0%	55.9%	66.2%
	Murphy	99.6%	43.3%	46.2%	88.0%	52.1%	46.0%	71.7%	0.5%
	Palang	99.2%	0.3%	34.4%	46.6%	44.7%	35.0%	39.7%	96.5%
	Thomas	99.8%	0.0%	59.8%	67.9%	65.3%	60.9%	35.8%	72.6%
<b>SETMA 1 Totals:</b>		99.5%	32.7%	40.3%	84.1%	47.1%	38.6%	62.6%	61.5%
SETMA 2	Abbas	100.0%	--	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%
	Anthony	99.8%	9.4%	47.0%	99.1%	50.0%	42.3%	99.2%	66.5%
	Anwar	99.8%	27.6%	71.4%	83.0%	46.2%	37.6%	98.3%	0.1%
	Colbert	100.0%	--	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%
	Cricchio, A	99.6%	15.0%	2.4%	96.7%	4.0%	2.4%	6.8%	97.9%
	Cricchio, M	99.7%	59.4%	86.6%	98.8%	89.3%	88.0%	97.2%	30.6%
	Deiparine	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%
	Holly	100.0%	94.0%	97.5%	99.8%	98.3%	97.5%	99.2%	98.3%
	Leifeste	99.8%	73.9%	83.9%	99.2%	83.6%	81.5%	90.4%	0.0%
	Murphy	100.0%	--	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
	Wheeler	99.7%	5.2%	84.1%	98.7%	84.0%	81.9%	98.9%	3.8%
<b>SETMA 2 Totals:</b>		99.8%	40.1%	70.5%	94.6%	64.8%	60.4%	90.6%	26.6%
SETMA West	Curry	99.9%	17.4%	19.5%	88.1%	24.1%	15.7%	84.8%	99.7%
	Deiparine	99.9%	20.9%	67.3%	83.5%	65.6%	59.0%	53.2%	99.3%
	Halbert	99.6%	9.5%	31.6%	71.1%	33.7%	29.6%	73.3%	92.6%
	Horn	100.0%	91.6%	36.7%	75.6%	22.3%	16.5%	94.5%	0.2%
	Qureshi	99.8%	46.0%	79.3%	95.8%	82.5%	75.9%	50.2%	98.3%
	Satterwhite	92.6%	11.7%	20.6%	89.0%	22.4%	17.2%	87.9%	86.2%

Jan 1, 2012 4:53:02 PM

1 of 2

NGHT270



**Physician Role in Hypertension Management**

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2011 through Dec 31, 2011  
 Report Criteria: Patients 18 And Older With a Chronic Diagnosis of Hypertension  
 Specialsits Excluded

Location	Provider	Blood Pressure Measured	Repeat BP (Elevated)	Class Assessed	Weight Reduction Discussed	Sodium Intake Discussed	Alcohol Intake Discussed	Exercise Discussed
SETMA West	Vardiman	99.8%	43.2%	47.3%	91.5%	53.1%	45.8%	76.6%
<b>SETMA West Totals:</b>		99.3%	27.7%	43.7%	82.1%	43.0%	37.0%	73.6%
<b>SETMA Totals:</b>		99.5%	32.7%	50.8%	86.7%	51.2%	44.8%	75.1%

2012



### Physician Role in Hypertension Management

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2012 through Dec 31, 2012  
 Report Criteria: Patients 18 And Older With a Chronic Diagnosis of Hypertension  
 Specialists Excluded

Location	Provider	Blood Pressure Measured	Repeat BP (Elevated)	Class Assessed	Weight Reduction Discussed	Sodium Intake Discussed	Alcohol Intake Discussed	Exercise Discussed	Follow-up Scheduled
SETMA 1	Aziz	99.8%	69.7%	49.8%	92.1%	57.0%	51.1%	54.5%	99.3%
	Deiparine	99.5%	8.9%	0.5%	0.5%	10.9%	0.5%	0.0%	98.9%
	Duncan	99.5%	41.6%	40.7%	86.6%	47.3%	38.9%	89.0%	83.6%
	Halbert	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Henderson	99.4%	76.0%	40.2%	93.8%	50.0%	38.9%	67.8%	76.0%
	Holly	100.0%	95.9%	98.4%	99.2%	97.6%	97.6%	98.4%	99.2%
	Murphy	99.7%	57.0%	37.0%	79.3%	41.8%	35.8%	61.7%	57.4%
	Palang	99.3%	3.3%	28.7%	38.8%	33.5%	23.2%	32.5%	98.9%
	Thomas	100.0%	7.1%	35.0%	48.7%	47.9%	35.9%	38.5%	86.3%
<b>SETMA 1 Totals:</b>		99.6%	52.1%	39.8%	75.4%	46.1%	38.0%	59.2%	83.3%
SETMA 2	Anthony	99.8%	66.7%	95.5%	97.9%	84.9%	82.9%	98.5%	84.0%
	Anwar	99.5%	48.7%	74.1%	88.2%	57.7%	52.1%	98.9%	11.8%
	Cash	99.9%	85.8%	71.6%	98.0%	8.9%	7.7%	4.0%	99.3%
	Holly	100.0%	100.0%	100.0%	100.0%	96.8%	96.8%	100.0%	100.0%
	LaBorde	99.6%	78.4%	63.8%	98.2%	87.5%	86.2%	98.2%	99.1%
	Leifeste	99.8%	75.7%	81.3%	98.9%	80.5%	78.1%	92.1%	0.7%
	Read	99.8%	21.1%	78.5%	99.7%	30.8%	19.6%	98.0%	99.5%
	Wheeler	99.9%	28.9%	85.0%	98.0%	84.9%	83.3%	98.7%	51.3%
<b>SETMA 2 Totals:</b>		99.7%	55.4%	81.2%	95.7%	63.8%	60.1%	86.8%	50.3%
SETMA Mid County	Castro	100.0%	38.3%	92.7%	99.3%	89.4%	89.4%	92.1%	100.0%
	George	99.7%	21.3%	54.5%	65.2%	34.7%	32.3%	36.8%	98.0%
	Read	100.0%	22.8%	76.2%	95.7%	35.1%	18.5%	94.0%	99.7%
	Shepherd	99.9%	59.4%	54.3%	71.4%	29.6%	22.9%	17.4%	97.0%
	Thomas	99.9%	28.1%	43.5%	58.3%	53.0%	39.0%	47.2%	85.3%
<b>SETMA Mid County Totals:</b>		99.9%	39.8%	53.6%	68.7%	41.1%	32.0%	39.0%	93.4%

Dec 30, 2012 1:56:00 PM

1 of 2

NGHT270



### Physician Role in Hypertension Management

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2012 through Dec 31, 2012  
 Report Criteria: Patients 18 And Older With a Chronic Diagnosis of Hypertension  
 Specialists Excluded

Location	Provider	Blood Pressure Measured	Repeat BP (Elevated)	Class Assessed	Weight Reduction Discussed	Sodium Intake Discussed	Alcohol Intake Discussed	Exercise Discussed	Follow-up Scheduled
SETMA West	Darden	99.9%	26.8%	63.8%	82.3%	63.4%	58.3%	55.3%	98.4%
	Deiparine	99.6%	26.6%	29.1%	87.2%	23.5%	11.4%	55.9%	99.3%
	Halbert	98.8%	15.3%	18.0%	37.4%	13.7%	7.1%	43.8%	96.2%
	Horn	100.0%	86.8%	72.7%	92.0%	66.6%	62.3%	91.4%	4.5%
	Qureshi	99.9%	61.3%	41.2%	94.6%	62.3%	37.9%	44.1%	99.1%
	Vardiman	99.6%	19.2%	35.6%	75.8%	35.8%	23.5%	72.4%	85.9%
<b>SETMA West Totals:</b>		99.5%	38.6%	41.3%	74.2%	40.6%	30.8%	59.2%	77.8%
<b>SETMA Totals:</b>		99.6%	47.5%	52.5%	79.7%	48.7%	41.1%	64.4%	74.0%