

James L. Holly, M.D.

SETMA's Response to the Robert Wood Johnson Foundation Part IV The Primary Care Team Learning from Effective Ambulatory Practices By James L. Holly, MD Your Life Your Health *The Examiner* June 21, 2012

(Editor's Note: The Second section of information requested from SETMA by the RWJF concerned clinical performance measures both as to process, was a standard-of-care task performed, and to outcomes, did a standard-of-care task reflect that the patient was being treated well.)

SETMA does extensive clinical performance measures, all of which are found on our website at the following link: [Public Reporting](#) I will only illustrate three here:

1. Diabetes
2. Hypertension
3. Lipids


The following is the front page of SETMA's Diabetes Disease Management tool:

The screenshot displays the 'Diabetes Management' tool interface for a patient named Jonny. The interface is organized into several sections:


- Header:** 'Diabetes Management' title, patient name 'Jonny', ZTest, Age '31', Sex 'M', and 'Diabetes Since' (Month '4', Year '2009').
- Navigation:** 'Diabetes' (selected) and 'General' tabs. A sidebar menu includes: Home, Diab Sys Review, Diabetic History, Eye Exam, Nasopharynx, Cardio Exam, Foot Exam, Neurological Exam, Complications/Education, Initiating Insulin, Insulin Pump, Lifestyle Changes, Diabetes Plan, Education Booklet Given On (06/15/2011), Diabetes Education, Telephone Record, and Last DE (//).
- Diagnostic Criteria:** Type I, Type II, GDM, Pre-Diabetes, Other.
- Adherence:** List of medical visits with dates: Dental Care (08/10/2010), Dilated Eye Exam (02/03/2011), Flu Shot (10/19/2011), Foot Exam (08/24/2011), HgbA1C (10/29/2011), Pneumovax (01/26/2012), Urinalysis (07/07/2011), Aspirin (Yes/No), and Statin (Yes/No).
- Vital Signs:** Height (72.00), Weight, BMI (0.00), Body Fat % (32.2), Protein Req, BMR, Waist (34.50), Hips (37.50), Chest (36.00), Abdomen (38), Ratio (0.92), BER, Finger Stick Glucose, Pulse (6.00), and Blood Pressure (140/95).
- Most Recent Labs:** HgA1C (12.2, 10/29/2011), Previous (12.2, 10/29/2011), eAG (9.2, 09/21/2011), Mean Plasma Glucose (303), C-Peptide (357.0, Insulin), Fructosamine (//), Cholesterol (165, 09/21/2011), LDL (113, 09/21/2011), HDL (30, 09/21/2011), Triglycerides (111, 09/21/2011), TrigHDL Ratio (3.70), Glucose (75, 01/09/2012), Fasting (75, 01/09/2012), Insulin (//), HOMA-IR, Na (123, 07/07/2011), K (//, 07/07/2011), Magnesium (//, 07/07/2011), BUN (//, 07/07/2011), Creatinine (//, 07/07/2011), U Microalbumin (//, 08/18/2010), and Albumin/Creat (//).
- Current SQ Insulin Dose:** Table with columns for Time of day, Units, and Type.
- Diary:** Table for recording blood sugars (mg/dl).
- Buttons:** 'Check for New Labs', 'Labs Over Time', 'Urinalysis', 'BP in Diabetics', 'Vitals Over Time', 'Diary'.

The Diabetes Disease Management tool is interactive with all of the patient’s record. The following is a link to the full Diabetes Management Tool tutorial: [Diabetes Tutorial](#)


From the work documented in the Diabetes Disease Management Tool, the following analytics can be done.




Through this longitudinal display, in 2009, we discovered that our patients who were well controlled all year were often losing their control of diabetes in October, November and December. We then did further audits to see if they were being seen less often and being tested less often and they were. In 2010, in September, we sent letters to all 7,000+ patients with diabetes alerting to this fact. We indicated we wanted them to enjoy holiday celebrations but to maintain their exercise and dietary discretion. We had them sign a contract to be seen twice in those three months and to be tested twice. In 2011, our audit showed that this phenomenon had disappeared.



The above compares the standard deviation of our controlled patients with diabetes (gold) and that of the uncontrolled. We established our goal to be .7 for our diabetes populations. We discovered that our controlled patients were seen 1.2 times more often. This is statistically significant and we saw an opportunity to improve the control of all of our patients by making sure that all patients with diabetes had 4-5 visits a year.




	Diabetic Medications
Controlled	1.3
Selected	2.2




	Appt. Not Kept
Controlled	0.5
Selected	0.6


No leverage points for improvement were found in the data above. (the controlled are gold and are patients with diabetes treated to goal and the selected are the uncontrolled patients in purple)



	Self Pay	Blue Cross	HMO Capitated	HMO Fee For Serv...	Legal	Medicaid	Medicare	PPS-Outreach	Workman's Comp
Controlled	16.9%	11.6%	40.5%	0.0%	0.0%	2.4%	27.9%	0.6%	
Selected	24.2%	14.8%	29.5%	0.0%	0.0%	3.7%	27.6%	0.2%	




	African American	Ethnicity Asian	Caucasian	Hispanic	Other/None
Controlled	34.1%	0.8%	60.6%	2.9%	1.6%
Selected	35.1%	1.1%	57.9%	3.4%	2.5%




	Female	Male
Controlled	55.9%	44.1%
Selected	54.3%	45.7%

From the above, we found that our HMO capitated patients who have a zero office co-pay are treated more effectively than Fee-for-Service Medicare allowing the inference that the cost of care for the FFS Medicare patients is a barrier to the effectiveness of care in that when that barrier is removed in a similar population that the care improves. We were able to see that for diabetes we had eliminated ethnic disparities of care.



	LDL Controlled, <70	BP Controlled, <130/80	Aspirin Prescribed	Yearly Foot Exam	Yearly Dilated Exam	Yearly Flu Shot	Attention for Nephropathy
Controlled	68.7%	51.4%	64.8%	79.1%	56.8%	84.6%	94.3%
Selected	57.6%	47.6%	61.8%	82.3%	52.6%	75.3%	92.4%



	<18	18-29	30-39	40-49	50-59	60-69	70-79	80-89	90+
Controlled	0.0%	0.5%	1.5%	5.8%	14.9%	25.2%	31.2%	17.8%	3.2%
Selected	0.1%	1.3%	3.3%	9.6%	21.1%	27.8%	23.8%	11.6%	1.4%

From the above profile, we were able to see that our older patients have better control of diabetes than our younger patients. Concerned that this might reflect co-morbidities rather than excellence of care, we tested the patients for malnutrition (pre-albumin), weight loss and appetite and found that they were not malnourished but were responding well to increased attention.

The following is the diabetes quality measurement set of PCPI. The elements are collected automatically without the provider doing anything, but at the point of service, once the provider completes the audit of patient's care can be reviewed by the provider.

PCPI Diabetes Management

Has the patient had a Hemoglobin A1c within the last year? Yes No
 Date of Last

Has the patient had a Lipid Profile within the last year? Yes No
 Date of Last

Has the patient had a urinalysis within the last year? Yes No
 Date of Last

Has the patient had a dilated eye exam within the last year? No Yes
 Date of Last

Has the patient had a flu shot within the last year? Yes No
 Date of Last

Has the patient had a 10-gram monofilament exam within the last year? Yes No
 Date of Last

Is the patient on Aspirin? Yes No
 Is the patient allergic to aspirin? Yes No

Is the patient's blood pressure controlled (<=130/80 mmHg)? No Yes
 Today's Blood Pressure /

Does the patient have at least one visit schedule for the next six months?

Has the Diabetes Treatment Plan been completed with the last year? Yes No
 Date Last Completed

Referrals		Active Medications	
Referral	Date	Brand Name	Dose
		BVETTA	5 mcg/0.02 r per dose
		CYCLOBENZAPRINE HCL	5 mg
		DICYCLOMINE HCL	10 mg

The following is the PCPI diabetes audit for 2011. Once again, 2009, 2010, 2011 and the first quarter of 2012 are on our website.



Diabetes Consortium - Blood Pressure Management

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2011 through Dec 31, 2011

Report Criteria: Patients 18 to 75 With a Chronic Diagnosis of Diabetes.
 Specialists Excluded (Dr. Ahmed Included)

Location	Provider	Systolic									Diastolic						
		< 120	120-129	130-139	140-149	150-159	160-169	170-179	>= 180	Not Present	< 75	75-79	80-89	90-99	100-109	>= 110	Not Present
SETMA 1	Azz	26.6%	31.8%	19.2%	13.6%	5.0%	2.9%	0.3%	0.7%	0.0%	55.0%	13.1%	25.6%	5.5%	0.3%	0.3%	0.1%
	Duncan	35.1%	35.3%	18.4%	8.0%	1.1%	0.8%	0.0%	0.0%	1.3%	50.1%	9.7%	35.1%	3.8%	0.0%	0.0%	1.3%
	Henderson	36.3%	33.1%	18.1%	7.8%	2.9%	1.0%	0.3%	0.3%	0.2%	55.4%	11.8%	28.1%	4.0%	0.2%	0.3%	0.2%
	Murphy	30.5%	29.4%	23.0%	9.5%	3.6%	2.2%	0.8%	0.8%	0.2%	48.5%	8.1%	33.9%	7.2%	1.7%	0.4%	0.2%
	Palang	10.6%	33.2%	29.4%	16.1%	6.5%	2.0%	0.5%	0.0%	1.8%	54.5%	5.0%	32.2%	5.8%	0.8%	0.0%	1.8%
	Thomas	14.0%	41.2%	21.1%	14.9%	6.1%	1.8%	0.9%	0.0%	0.0%	28.1%	14.9%	50.0%	6.1%	0.0%	0.0%	0.9%
SETMA 1 Totals:		28.5%	32.4%	21.3%	10.8%	3.8%	1.9%	0.4%	0.4%	0.5%	51.4%	10.0%	31.6%	5.5%	0.7%	0.2%	0.6%
SETMA 2	Ahmed	36.3%	24.4%	28.1%	8.9%	1.6%	0.3%	0.1%	0.0%	0.2%	63.1%	12.6%	21.6%	2.2%	0.3%	0.0%	0.2%
	Anthony	29.6%	33.1%	19.8%	11.8%	2.7%	1.7%	0.8%	0.5%	0.0%	48.4%	18.1%	29.6%	3.0%	0.7%	0.2%	0.0%
	Anwar	17.0%	48.0%	24.9%	7.0%	2.0%	0.7%	0.0%	0.2%	0.1%	71.2%	14.2%	12.5%	1.5%	0.2%	0.1%	0.2%
	Cricchio, A	25.1%	36.2%	23.0%	9.3%	3.6%	1.7%	0.3%	0.4%	0.4%	56.5%	13.6%	25.0%	4.1%	0.4%	0.1%	0.3%
	Cricchio, M	35.3%	23.5%	20.9%	11.6%	3.5%	2.8%	1.2%	0.5%	0.7%	58.9%	12.4%	20.7%	6.5%	0.8%	0.1%	0.5%
	Deiparine	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
	Holly	28.2%	58.2%	10.0%	1.8%	0.6%	0.6%	0.0%	0.6%	0.0%	70.0%	18.2%	11.2%	0.6%	0.0%	0.0%	0.0%
	Leifeste	37.6%	26.8%	23.2%	7.0%	2.6%	1.1%	0.5%	1.1%	0.1%	54.3%	15.0%	25.3%	4.2%	0.5%	0.5%	0.1%
Wheeler	22.0%	32.7%	22.8%	11.1%	4.6%	4.4%	1.4%	0.6%	0.2%	57.4%	7.7%	27.7%	6.1%	1.0%	0.0%	0.2%	
SETMA 2 Totals:		30.8%	31.2%	24.2%	9.0%	2.5%	1.3%	0.5%	0.4%	0.2%	60.4%	13.4%	22.0%	3.3%	0.5%	0.2%	0.2%
SETMA West	Curry	23.9%	30.5%	24.1%	12.6%	6.3%	1.4%	0.0%	1.1%	0.0%	52.9%	12.9%	27.9%	4.9%	1.4%	0.0%	0.0%
	Deiparine	21.6%	27.4%	22.2%	14.2%	7.0%	4.3%	1.6%	1.5%	0.1%	50.7%	9.1%	24.0%	12.1%	3.0%	0.9%	0.1%
	Halbert	30.6%	24.9%	21.9%	12.0%	6.0%	3.3%	0.7%	0.4%	0.2%	51.6%	13.3%	27.6%	5.4%	1.8%	0.1%	0.1%
	Horn	24.7%	41.5%	31.9%	1.4%	0.2%	0.2%	0.2%	0.0%	0.0%	53.0%	14.8%	31.3%	0.8%	0.2%	0.0%	0.0%
	Qureshi	31.9%	39.6%	17.2%	6.1%	2.4%	1.8%	0.3%	0.3%	0.5%	51.7%	15.6%	28.5%	2.1%	1.6%	0.0%	0.5%
	Sattenwhite	17.9%	28.9%	25.2%	11.6%	5.0%	1.3%	1.0%	1.0%	8.0%	42.9%	15.0%	23.6%	7.0%	2.3%	1.3%	8.0%
Vardiman	26.2%	22.7%	26.5%	17.0%	3.5%	2.2%	0.3%	1.4%	0.3%	51.1%	14.6%	27.6%	4.3%	1.4%	0.5%	0.3%	
SETMA West Totals:		25.9%	30.5%	24.2%	10.4%	4.5%	2.3%	0.7%	0.7%	0.8%	51.1%	13.3%	27.4%	5.4%	1.7%	0.4%	0.8%

There are currently twelve different published audit sets for diabetes. We track all of those. The following is the audit set with measures, discriminators and the aggregate score for the NCQA Diabetes Recognition program. That program changed this in February of 2012 and SETMA is updating our audit to reflect the new standards. All of SETMA providers and clinics have NCQA Diabetes Recognition.



NCQA Diabetes Measures

Encounter Date(s): January 1, 2011 to December 31, 2011

Location Name	Provider	Encounters	A1c >9.0 <= 15%	A1c < 8.0 >= 60%	A1c < 7.0 >= 40%	BP > 140/90 <= 35%	BP < 130/80 >= 25%	Eye Exam >= 60%	Smoking Cessation >= 80%	LDL >= 130 <= 37 %	LDL < 100 >= 36%	Nephropathy >= 80%	Foot Exam >= 80%	Total Points
SETMA 1	Aziz	1,078	10.6%	72.5%	58.3%	18.2%	56.8%	60.2%	95.6%	13.5%	69.6%	83.4%	74.6%	95
	Duncan	766	8.6%	79.5%	67.4%	12.5%	68.7%	57.7%	93.6%	15.4%	65.9%	81.6%	79.9%	85
	Halbert	1	0.0%	100.0%	100.0%	0.0%	100.0%	0.0%		0.0%	100.0%	0.0%	100.0%	75
	Henderson	848	10.1%	78.4%	66.5%	9.4%	69.5%	60.4%	95.9%	13.1%	66.4%	84.2%	93.6%	100
	Murphy	1,504	6.0%	84.7%	70.5%	14.3%	57.7%	45.9%	85.1%	10.6%	75.5%	87.8%	82.4%	90
	Palang	675	5.5%	51.6%	42.7%	19.7%	53.0%	22.5%	95.5%	7.7%	50.1%	34.7%	31.0%	72
	Thomas	166	9.6%	70.5%	47.0%	18.1%	56.0%	77.7%	100.0%	11.4%	62.7%	75.9%	82.5%	95
SETMA 2	Ahmed	2,938	14.4%	43.2%	29.0%	8.3%	61.7%	63.9%	73.5%	11.3%	64.2%	71.0%	99.3%	72
	Anthony	843	9.7%	78.9%	66.1%	14.1%	66.5%	66.5%	83.5%	10.3%	69.4%	93.5%	96.1%	100
	Anwar	1,408	8.5%	78.3%	64.0%	5.0%	80.0%	64.8%	96.5%	11.2%	65.8%	92.0%	75.3%	95
	Cricchio, A	884	11.9%	44.9%	29.6%	9.2%	71.7%	64.6%	80.2%	10.1%	69.6%	76.5%	99.3%	82
	Cricchio, M	964	7.0%	76.9%	63.7%	15.5%	60.8%	65.0%	67.6%	9.5%	68.0%	91.6%	86.5%	90
	Deiparine	1	0.0%	0.0%	0.0%	100.0%	0.0%	100.0%		0.0%	100.0%	100.0%	100.0%	52
	Holly	283	6.7%	84.1%	71.4%	3.9%	83.0%	81.6%	71.4%	11.3%	71.4%	97.5%	95.4%	90
	Leifeste	991	6.3%	81.6%	71.0%	13.3%	63.2%	72.4%	58.3%	7.9%	70.0%	89.2%	83.5%	90
	Wheeler	679	6.9%	85.0%	74.1%	21.6%	57.1%	58.8%	81.7%	12.8%	62.7%	90.3%	89.1%	90
	SETMA West	Curry	435	9.0%	75.2%	60.2%	16.1%	60.9%	70.8%	88.9%	13.6%	64.1%	87.6%	88.3%
Deiparine		836	9.4%	72.0%	57.2%	23.2%	52.2%	47.8%	95.5%	13.0%	59.1%	72.0%	83.1%	85
Halbert		1,346	10.1%	73.8%	61.8%	20.1%	55.4%	36.8%	96.3%	14.9%	61.5%	59.6%	81.4%	85
Horn		802	5.9%	79.6%	66.7%	2.1%	68.8%	47.3%	92.2%	16.2%	55.0%	81.2%	92.6%	90
Qureshi		484	17.6%	62.8%	52.3%	9.1%	71.1%	51.2%	94.1%	16.3%	58.5%	66.7%	95.5%	73
Satterwhite		370	16.2%	60.3%	47.3%	24.1%	54.6%	52.7%	95.0%	19.5%	51.1%	76.8%	80.5%	73
Vardiman	572	9.6%	72.9%	60.0%	21.5%	47.9%	57.7%	96.6%	15.0%	58.2%	64.5%	85.1%	85	