

NQF - Medication Measures

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2009 through Dec 31, 2009

Location	Provider	Documen- tation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA 1	Aziz	86.1%	64.9%	18.4%	79.0%	42.6%	21.7%	99.6%	75.0%
	Duncan	92.1%	91.7%	27.3%	77.2%	59.6%	32.4%	78.0%	55.2%
	Henderson	93.9%	77.0%	21.5%	76.3%	44.3%	22.9%	99.2%	81.3%
	Murphy	83.3%	87.2%	22.9%	76.7%	44.3%	20.6%	99.7%	58.3%
	Thomas	95.1%	79.2%	25.9%	79.3%	45.1%	17.9%	99.8%	39.3%
SETMA 1 Totals:		89.2%	82.6%	24.8%	77.6%	46.3%	22.9%	95.2%	66.8%
SETMA 2	Anthony	97.6%	82.1%	9.8%	81.5%	42.2%	18.3%	98.2%	51.6%
	Anwar	94.3%	58.9%	40.0%	77.8%	39.1%	18.9%	98.6%	57.3%
	Colbert	93.5%	80.4%	50.0%				97.1%	
	Cricchio, M	97.7%	89.3%	51.0%	74.5%	51.7%	24.8%	97.7%	59.1%
	Holly	69.8%	89.5%	42.9%	80.2%	32.3%	17.1%	97.4%	59.3%
	Leifeste	97.2%	92.5%	20.0%	82.9%	42.3%	18.8%	99.1%	60.9%
	Wheeler	92.4%	77.8%	13.3%	67.1%	45.0%	24.4%	80.7%	58.9%
SETMA 2 Totals:		93.7%	81.0%	34.2%	78.3%	41.3%	19.8%	95.6%	57.5%
SETMA West	Anthony	100.0%						100.0%	
	Curry	96.6%	76.8%	7.0%	70.5%	36.7%	14.5%	99.8%	52.1%
	Halbert	91.0%	75.0%	17.9%	72.7%	37.0%	16.9%	98.3%	60.3%
	Horn	88.7%	79.5%	9.5%	82.2%	45.9%	15.8%	99.6%	55.0%
	Satterwhite	86.3%	79.8%	10.0%	76.9%	37.7%	16.8%	90.3%	42.0%
	Vardiman	86.2%	81.8%	37.5%	76.6%	33.2%	15.7%	93.4%	60.6%
	Young	97.5%	64.1%	28.5%	64.9%	46.5%	24.2%	98.3%	61.4%
SETMA West Totals:		91.3%	74.4%	19.8%	73.2%	38.9%	17.2%	97.1%	55.9%
SETMA Totals:		91.5%	79.6%	25.4%	76.8%	42.4%	20.1%	96.0%	60.4%

Documentation of Allergies/Reactions - Percentage of patients having documentation of allergies and adverse reactions in their medical record.



NQF - Medication Measures

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2009 through Dec 31, 2009

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

LDL Drug Therapy - Percentage of patients with CAD who were prescribed a lipid-lowering therapy.

Current Medication List - Percentage of patients having a medication list on their medical record.

Warfarin Therapy for Patients with Atrial Fibrilation - Percentage of patients with atrial fibrilation who were perscribed warfarin therapy.