

HEDIS - Effectiveness of Chronic Care - Clinic Only

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2011 through Dec 31, 2011

			Prescribed Meds	Drug Therapy	Appro. Meds.	Controlling High Blood Pressure					
Location	Provider	One Follow-up within 30 Days	Two Follow- ups within 30 and 270 days	for Rheumatoid Arthritis	for People with Asthma	< 130 / 80	< 140 / 80	< 140 / 90	Not Controlled	Osteo- porosis Mgmt	Spirometry Testing for COPD
SETMA 1	Aziz			31.0%	75.9%	47.2%	59.1%	76.2%	17.9%	0.0%	14.0%
	Duncan			37.7%	85.0%	49.0%	56.1%	86.5%	11.2%	20.0%	13.8%
	Halbert										
	Henderson			44.6%	79.5%	49.5%	60.6%	85.9%	8.4%	62.5%	9.8%
	Murphy			40.0%	76.4%	38.6%	50.5%	78.1%	14.9%	0.0%	12.7%
	Palang			15.2%	87.0%	40.4%	57.4%	79.4%	16.1%	50.0%	0.0%
	Thomas			22.2%	82.4%	28.1%	32.8%	72.8%	18.5%		7.7%
SETMA 1 Totals:				35.1%	81.4%	43.9%	55.4%	80.4%	14.1%	17.0%	11.5%
SETMA 2	Abbas					100.0%	100.0%	100.0%	0.0%		
	Anthony	42.9%	0.0%	41.5%	78.2%	49.8%	58.5%	79.8%	14.7%	25.0%	17.8%
	Anwar			38.9%	76.1%	62.3%	80.6%	87.9%	6.0%	0.0%	13.1%
	Colbert	77.0%	0.0%		76.7%	100.0%	100.0%	100.0%	0.0%		
	Cricchio, A			48.8%	52.9%	50.0%	64.6%	82.0%	10.1%	0.0%	9.5%
	Cricchio, M	50.0%	0.0%	33.3%	81.5%	45.6%	57.6%	74.3%	16.5%	27.3%	28.4%
	Deiparine					0.0%	0.0%	0.0%	100.0%		
	Holly			40.7%	100.0%	76.4%	86.9%	95.0%	4.6%	0.0%	19.6%
	Leifeste			54.8%	92.4%	51.5%	61.3%	82.7%	13.7%	25.0%	42.9%
	Murphy					100.0%	100.0%	100.0%	0.0%		100.0%
	Wheeler			25.8%	77.5%	38.9%	52.0%	72.1%	21.5%	16.7%	13.0%
SETI	MA 2 Totals:	72.9%	0.0%	39.1%	79.2%	52.2%	65.2%	81.1%	12.8%	15.2%	21.0%
SETMA West	Curry			52.0%	76.1%	43.3%	56.0%	74.0%	16.0%	25.0%	17.6%
	Deiparine	83.3%	0.0%	43.8%	70.1%	32.5%	44.0%	62.8%	26.1%	33.3%	12.8%
	Halbert			43.5%	74.0%	43.2%	54.4%	71.2%	24.0%	23.5%	10.4%
	Horn	100.0%	0.0%	59.3%	74.1%	52.4%	64.4%	96.6%	1.9%	0.0%	8.1%



HEDIS - Effectiveness of Chronic Care - Clinic Only

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2011 through Dec 31, 2011

		Children Prescribed ADHD Meds		Drug Therapy	Appro. Meds.	Controlling High Blood Pressure					
Location	Provider	One Follow-up within 30 Days	Two Follow- ups within 30 and 270 days	for Rheumatoid Arthritis	for People with Asthma	< 130 / 80	< 140 / 80	< 140 / 90	Not Controlled	Osteo- porosis Mgmt	Spirometry Testing for COPD
SETMA West	Qureshi			41.8%	71.8%	55.4%	64.0%	84.7%	11.8%	0.0%	13.0%
	Satterwhite	0.0%	0.0%	27.6%	88.4%	37.5%	49.4%	68.2%	23.3%	0.0%	4.8%
	Vardiman			23.9%	81.7%	36.6%	50.2%	69.9%	26.2%	0.0%	4.5%
SETMA West Totals:		81.8%	0.0%	43.3%	74.6%	43.0%	54.6%	75.5%	18.6%	18.2%	10.5%
SETMA Totals:		74.1%	0.0%	39.1%	78.2%	46.1%	58.1%	78.9%	15.3%	16.7%	15.6%

Children Prescribed ADHD Meds - Children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who have at least three follow-up care visits within a 10-month period, one of which is within 30 days of when the first ADHD medication was dispensed.

Drug Therapy For Rheumatoid Arthritis - Patients diagnosed with rheumatoid arthritis who were dispensed at least one ambulatory prescription for a disease-modifying anti-rheumatic drug.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Controlling High Blood Pressure - Patients 8 to 85 years of age with a diagnosis of chronic hypertension.

Osteoporois Management In Women Who Had A Facture - Women 67 years of age and older who suffered a fracture and who had either (1) a bone mineral density test or (2) a prescription for a drug to treat osteoporosis within six months following the fracture.

Spirometry Testing In The Assessment And Diagnosis of COPD - Patients 40 years of age and older with a diagnosis of or newly active COPD who received appropriate spirometry testing to confirm the diagnosis.