HEDIS - Effectiveness of Chronic Care - Clinic Only

E & M Codes: Clinic Only
Encounter Date(s): Jan 1, 2012 through Dec 31, 2012

Location	Provider	Children Prescribed ADHD Meds — One Follow-up within 30 Days	Two Follow-ups within 30 and 270 days	Drug Therapy for Rheumatoid Arthritis	Appro. Meds. for People with Asthma	Controlling High Blood Pressure < 130 / 80	< 140 / 80	< 140 / 90	Not Controlled	Osteo-porosis Mgmt	Spirometry Testing for COPD
SETMA 1	Aziz	--	--	27.4%	78.4%	48.6%	62.4%	75.2%	18.8%	6.7%	13.7%
	Deiparine	--	--	0.0%	71.4%	32.0%	44.8%	66.3%	30.2%	--	--
	Duncan	--	--	50.5%	80.4%	55.6%	62.9%	89.8%	8.0%	14.3%	13.9%
	Halbert	--	--	--	--	0.0%	0.0%	0.0%	100.0%	--	--
	Henderson	--	--	23.1%	85.6%	46.5%	57.1%	86.6%	9.1%	33.3%	11.2%
	Holly	--	--	21.7%	100.0%	77.2%	85.2%	94.4%	4.5%	0.0%	17.9%
	Murphy	--	--	55.0%	89.4%	34.4%	46.2%	74.6%	19.3%	9.1%	12.6%
	Palang	--	--	48.1%	85.4%	49.0%	63.2%	82.4%	14.6%	54.5%	8.4%
	Thomas	--	--	40.0%	66.7%	31.6%	34.2%	85.1%	12.3%	0.0%	0.0%
SETMA 1 Totals:		--	--	37.7%	83.8%	46.6%	58.2%	81.3%	14.4%	21.8%	12.2%
SETMA 2	Anthony	33.3%	0.0%	44.4%	80.0%	41.7%	53.7%	74.6%	16.3%	4.3%	14.1%
	Anwar	--	--	41.1%	72.9%	56.6%	80.9%	89.1%	7.1%	11.1%	7.5%
	Cash	--	--	38.1%	62.5%	62.6%	80.8%	95.3%	2.4%	--	0.0%
	Colbert	94.7%	0.0%	--	74.1%	--	--	--	--	--	--
	Holly	--	--	--	--	76.9%	84.6%	96.2%	3.8%	--	16.7%
	LaBorde	50.0%	0.0%	28.6%	88.9%	41.6%	51.9%	75.7%	15.9%	--	14.3%
	Leifeste	100.0%	0.0%	62.5%	72.9%	51.7%	63.6%	81.9%	14.8%	25.0%	58.1%
	Read	--	--	46.7%	88.9%	33.6%	42.1%	59.9%	21.0%	0.0%	23.5%
	Wheeler	50.0%	0.0%	30.7%	72.7%	44.6%	61.1%	75.9%	18.9%	10.0%	10.8%
SETMA 2 Totals:		84.5%	0.0%	43.0%	76.6%	49.4%	65.7%	81.0%	12.8%	9.7%	18.5%
SETMA Mid County	Castro	--	--	100.0%	100.0%	25.2%	38.1%	56.8%	35.3%	--	0.0%
	George	--	--	0.0%	100.0%	46.5%	66.2%	80.8%	14.2%	0.0%	0.0%
	Read	--	--	55.6%	92.2%	22.3%	30.2%	53.3%	24.4%	--	0.0%
	Shepherd	--	--	44.4%	78.7%	46.2%	71.4%	77.9%	15.0%	6.7%	9.2%

E & M Codes: Clinic Only
Encounter Date(s): Jan 1, 2012 through Dec 31, 2012

| Location | Provider | Children Prescribed ADHD Meds | | Drug Therapy | Appro. Meds. | Controlling High Blood Pressure | | | | Osteo-porosis Mgmt | Spirometry Testing for COPD |
		One Follow-up within 30 Days	Two Follow-ups within 30 and 270 days	for Rheumatoid Arthritis	for People with Asthma	< 130 / 80	< 140 / 80	< 140 / 90	Not Controlled		
SETMA Mid County	Thomas	--	--	10.7%	90.6%	33.6%	41.1%	80.2%	14.1%	20.0%	4.1%
SETMA Mid County Totals:		--	--	26.6%	88.0%	39.0%	55.2%	76.4%	16.1%	10.0%	5.4%
SETMA West	Darden	--	--	25.6%	85.8%	42.6%	53.7%	73.7%	18.3%	0.0%	6.0%
	Deiparine	0.0%	0.0%	43.9%	74.3%	48.0%	55.7%	80.4%	13.8%	--	14.6%
	Halbert	100.0%	0.0%	41.4%	74.1%	34.9%	45.1%	64.4%	24.2%	10.3%	10.4%
	Horn	--	--	46.1%	78.3%	44.1%	61.7%	88.9%	6.5%	11.1%	23.6%
	Qureshi	--	--	24.6%	80.7%	55.6%	66.0%	84.1%	12.7%	0.0%	8.9%
	Vardiman	--	--	44.0%	82.4%	42.0%	54.8%	69.7%	25.1%	0.0%	9.7%
SETMA West Totals:		66.7%	0.0%	38.9%	78.6%	43.7%	55.2%	76.9%	16.2%	8.5%	11.5%
SETMA Totals:		83.8%	0.0%	38.6%	80.2%	45.7%	59.0%	79.4%	14.7%	12.9%	12.8%

Children Prescribed ADHD Meds - Children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who have at least three follow-up care visits within a 10-month period, one of which is within 30 days of when the first ADHD medication was dispensed.

Drug Therapy For Rheumatoid Arthritis - Patients diagnosed with rheumatoid arthritis who were dispensed at least one ambulatory prescription for a disease-modifying anti-rheumatic drug.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Controlling High Blood Pressure - Patients 8 to 85 years of age with a diagnosis of chronic hypertension.

Osteoporois Management In Women Who Had A Facture - Women 67 years of age and older who suffered a fracture and who had either (1) a bone mineral density test or (2) a prescription for a drug to treat osteoporosis within six months following the fracture.

Spirometry Testing In The Assessment And Diagnosis of COPD - Patients 40 years of age and older with a diagnosis of or newly active COPD who received appropriate spirometry testing to confirm the diagnosis.