

HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

		Antidepressant Medication Management		Cholesterol Management for Patients with Cardiovascular Conditions		Pharmacotherapy Management of Acute COPD Exacerbation	
Location	Provider	Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corti- steriod Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA 1	Aziz	8.3%	2.4%	94.5%	89.4%	18.8%	2.6%
	Duncan	8.8%	6.8%	88.4%	88.7%	39.7%	1.7%
	Foster	4.8%	3.0%	91.6%	90.0%	34.0%	8.2%
	Henderson	6.0%	3.6%	93.4%	93.4%	31.3%	10.1%
	Holly	11.8%	11.8%	88.7%	95.2%	22.2%	0.0%
	Le	16.9%	11.3%	89.5%	78.3%	15.8%	13.9%
	McClure						
	Murphy	14.1%	11.0%	96.2%	88.1%	23.0%	2.4%
	Palang	17.8%	12.1%	88.9%	88.3%	25.3%	6.5%
	Thomas	14.3%	14.3%	77.8%	44.4%	0.0%	0.0%
	SETMA 1 Totals:	10.2%	7.0%	92.3%	88.7%	24.3%	5.4%
SETMA 2	Anthony	3.5%	2.8%	95.3%	86.6%	16.9%	1.3%
	Anwar	8.8%	4.4%	96.0%	82.8%	15.1%	4.3%
	Cash	1.4%	1.4%	85.1%	85.1%	14.3%	0.0%
	Colbert						
	Cricchio, M	0.0%	0.0%	50.0%	50.0%	0.0%	0.0%
	Foster			71.4%	85.7%	100.0%	0.0%
	Leifeste						
	Read						
	Smith	0.0%	0.0%	71.8%	65.4%	83.3%	0.0%
	Wheeler	8.8%	5.1%	93.3%	80.3%	36.0%	2.0%
SETMA 2 Totals:		5.6%	3.4%	90.6%	82.8%	19.5%	2.3%
SETMA Lumberton	Anwar			100.0%	100.0%		
	Arcala, A						



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

		Antidepressant Medication Management		Cholesterol Management for Patients with Cardiovascular Conditions		Pharmacotherapy Management of Acute COPD Exacerbation	
Location	Provider	Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corti- steriod Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA Lumberton	Foster			75.0%	66.7%		
	Halbert						
	Holly	11.1%	11.1%	100.0%	84.6%	33.3%	0.0%
	Le	13.6%	0.0%	86.1%	83.3%	20.8%	29.2%
	Leifeste	13.1%	6.9%	94.4%	87.9%	11.2%	9.0%
	Read	19.0%	14.3%	90.0%	88.1%	18.4%	9.2%
	Thomas						
SETMA Lumberton Totals:		14.6%	8.3%	91.9%	87.4%	16.1%	11.1%
SETMA Mid County	Castro	8.5%	5.2%	96.6%	85.1%	24.7%	9.8%
	Cricchio, M	8.3%	8.3%	95.4%	90.8%	33.3%	19.4%
	George	3.8%	3.8%	78.3%	79.5%	10.4%	1.5%
	Shepherd	4.7%	1.4%	93.3%	90.0%	22.4%	2.1%
	Thomas	19.6%	16.5%	87.1%	83.8%	27.2%	7.7%
SETMA Mid County Totals:		9.3%	6.3%	91.8%	86.3%	23.8%	7.0%
SETMA Orange	Anwar	100.0%	100.0%	100.0%	40.0%	0.0%	16.7%
	Arcala, A					0.0%	0.0%
	Aziz						
	Castro	0.0%	0.0%	100.0%	95.5%	30.8%	7.7%
	Cox	16.3%	6.5%	74.4%	69.1%	16.3%	15.1%
	Green	3.7%	2.4%	62.7%	61.3%	30.8%	16.7%
	Le	50.0%	50.0%	50.0%	50.0%	100.0%	0.0%
	Shepherd	0.0%	0.0%	83.3%	83.3%	16.7%	0.0%
SETMA Orange Totals:		10.9%	5.2%	71.2%	67.1%	24.8%	14.6%
SETMA PA	Arcala, A			0.0%	8.3%	12.5%	12.5%



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

		Antidepressant Medication Management		Cholesterol Management for Patients with Cardiovascular Conditions		Pharmacotherapy Management of Acute COPD Exacerbation	
Location	Provider	Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corti- steriod Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA PA	Arcala, F	0.0%	0.0%	41.5%	40.0%	0.0%	0.0%
	Castro						
	Cricchio, M			66.7%	66.7%		
	Shepherd						
SETMA PA Totals:		0.0%	0.0%	36.2%	36.2%	3.7%	3.7%
SETMA West	Cricchio, M						
	Darden	10.5%	7.0%	83.3%	66.2%	26.5%	22.2%
	Deiparine, C	11.1%	8.9%	88.1%	88.5%	18.0%	6.0%
	Halbert	7.5%	3.8%	79.3%	77.6%	23.2%	5.1%
	Horn	6.3%	4.2%	86.3%	79.4%	16.9%	5.6%
	Qureshi	7.3%	6.2%	84.1%	76.3%	31.9%	8.8%
SETMA West Totals:		7.6%	5.1%	83.3%	77.7%	24.2%	11.6%
SETMA Totals:		9.1%	5.8%	88.0%	82.8%	22.7%	7.0%

Antidepressant Medication Management - Patients 18 years of age and older who were diagnosed with a new episode of major depression, treated with antidepressant medication, and who remained on an antidepressant medication treatment. Two rates are reported: Acute Phase Treatment (84 days) and Continuation Phase Treatment (180 days).

Cholesterol Management for Patients with Cardiovascular Conditions - Patients 18 to 75 years of age with cardiovascular disease who where (1) screened for LDL cholesterol within the last 12 months and (2) whose LDL cholesterol is adequately controlled (<130 mg/dL).

Pharmacotherapy Management of Acute COPD Exacerbation - Patients 40 years or age and older who were diagnosed with acute COPD exacerbation and were (1) dispensed a systemic corticosteroid within 14 days of the event and (2) dispensed a bronchodilator within 30 days of the event.