

HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

		Annual Monitoring for Patients on							
Location	Provider	Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic	
SETMA 1	Aziz	100.0%	96.8%	96.3%	100.0%	42.9%	75.0%	55.0%	
	Duncan	95.8%	89.9%	90.9%	75.0%	55.6%	70.0%	20.0%	
	Foster	95.3%	91.7%	92.3%	50.0%	66.7%	78.6%	16.7%	
	Henderson	100.0%	95.0%	94.7%	92.0%	80.0%	88.0%	72.7%	
	Holly	100.0%	96.4%	96.5%		0.0%	0.0%	0.0%	
	Le	96.2%	88.8%	90.3%	83.3%	22.2%	50.0%	0.0%	
	McClure		-						
	Murphy	98.6%	98.2%	98.2%	100.0%	56.2%	66.7%	17.6%	
	Palang	94.2%	89.1%	89.6%	66.7%	33.3%	40.0%	31.0%	
	Thomas		94.1%	96.5%	100.0%	50.0%	66.7%	100.0%	
SETMA 1 Totals:		97.1%	93.3%	93.7%	83.8%	48.6%	70.1%	32.9%	
SETMA 2	Anthony	92.5%	97.5%	97.8%	80.0%	30.8%	64.7%	70.6%	
	Anwar	100.0%	97.7%	98.2%	50.0%	0.0%	67.3%	37.9%	
	Cash	93.5%	92.2%	92.1%	0.0%	0.0%	54.5%	48.9%	
	Colbert		50.0%	100.0%					
	Cricchio, M	100.0%	98.3%	98.6%		0.0%	0.0%	0.0%	
	Foster	100.0%	97.5%	100.0%					
	Leifeste		100.0%	100.0%					
	Read								
	Smith	100.0%	96.9%	97.0%		28.6%	0.0%	16.7%	
	Wheeler	97.7%	94.3%	94.4%	100.0%	50.0%	60.0%	6.7%	
SETMA 2 Totals:		96.2%	95.7%	95.9%	69.2%	25.0%	60.2%	41.2%	
SETMA Lumberton	Anwar		90.0%	87.5%					
	Foster	100.0%	78.0%	81.5%		100.0%		0.0%	
	Halbert		100.0%	100.0%					
	Holly	0.0%	93.5%	94.6%		0.0%			



HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

	Provider	Annual Monitoring for Patients on							
Location		Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic	
SETMA Lumberton	Le	75.0%	86.9%	85.0%		0.0%	0.0%	0.0%	
	Leifeste	96.6%	92.2%	92.4%	100.0%	44.4%	50.0%	66.7%	
	Read	100.0%	89.5%	89.3%	50.0%	55.6%	80.0%	32.0%	
	Thomas								
SETMA Lumberton Totals:		96.4%	90.4%	90.3%	69.2%	41.7%	63.3%	33.3%	
SETMA Mid	Castro	95.0%	97.5%	96.8%		42.9%	74.3%	58.1%	
County	Cricchio, M	90.5%	92.7%	94.3%	50.0%	80.0%	100.0%	45.5%	
	George	69.6%	80.7%	81.2%		0.0%	70.0%	50.0%	
	Shepherd	98.8%	95.7%	96.1%	0.0%	33.3%	75.0%	36.4%	
	Thomas	91.9%	90.7%	91.4%	100.0%	60.0%	90.6%	48.0%	
SETMA Mid County Totals:		92.8%	93.3%	93.6%	40.0%	44.4%	80.9%	47.2%	
SETMA Orange	Anwar		100.0%	100.0%			100.0%		
	Arcala, A		100.0%						
	Aziz		100.0%						
	Castro	100.0%	98.0%	98.3%			100.0%		
	Cox	67.6%	75.1%	75.6%		50.0%	51.5%	10.0%	
	Green	61.9%	68.1%	68.1%	0.0%	25.0%	40.7%	4.3%	
	Le		80.0%	75.0%				0.0%	
	Shepherd	100.0%	98.0%	97.5%		75.0%	100.0%	100.0%	
SETMA Orange Totals:		70.6%	74.1%	74.4%	0.0%	50.0%	52.2%	12.8%	
SETMA PA	Arcala, A	40.0%	46.0%	42.5%		50.0%	100.0%	0.0%	
	Arcala, F	53.3%	52.7%	52.8%		36.4%	58.3%	0.0%	
	Castro		0.0%	0.0%					
	Cricchio, M		47.1%	48.3%					
	Shepherd		100.0%	100.0%					
SETMA PA Totals:		50.0%	50.2%	49.4%		38.5%	64.3%	0.0%	



HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

		Annual Monitoring for Patients on						
Location	Provider	Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic
SETMA West	Cricchio, M		0.0%	0.0%				
	Darden	93.8%	82.9%	84.3%	12.5%	21.1%	60.0%	45.5%
	Deiparine, C	86.5%	90.0%	89.4%	77.8%	50.0%	55.8%	57.4%
	Halbert	88.7%	84.0%	83.8%	40.0%	36.4%	56.0%	43.8%
	Horn	91.1%	89.0%	90.2%	100.0%	0.0%	48.0%	31.2%
	Qureshi	93.0%	92.8%	93.0%	25.0%	0.0%	32.1%	32.4%
SETMA West Totals:		90.3%	87.6%	88.0%	51.1%	23.9%	47.3%	43.1%
SETMA Totals:		92.8%	90.0%	90.3%	68.8%	38.2%	62.1%	37.2%

Annual Monitoring for Patients on Persistent Medications

Patients with an active prescription of digoxin should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription of a diuretic should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription of an ACE or ARB should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription for an anticonvulsant should have a corresponding drug level checked at least yearly.