

HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

	Provider	Annual Monitoring for Patients on						
Location		Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic
SETMA 1	Aziz	100.0%	98.4%	98.7%	100.0%	37.5%	69.4%	45.2%
	Duncan	97.4%	90.2%	90.9%	83.3%	10.0%	66.7%	26.0%
	Henderson	100.0%	95.0%	95.3%	65.0%	20.0%	93.5%	50.0%
	Holly	100.0%	94.9%	95.5%	0.0%		66.7%	0.0%
	Le	95.6%	91.3%	91.5%	100.0%	30.8%	58.3%	7.4%
	Murphy	98.0%	97.8%	97.9%	81.8%	30.8%	77.3%	20.3%
	Palang	98.8%	90.6%	90.7%	71.4%	55.2%	50.0%	45.8%
	Thomas	100.0%	94.5%	92.5%				
SETMA 1 Totals:		98.5%	93.9%	94.3%	76.6%	35.2%	71.3%	32.8%
SETMA 2	Akhter	100.0%	93.8%	93.9%		0.0%	50.0%	38.1%
	Anthony	98.3%	97.9%	98.0%	87.5%	85.7%	100.0%	87.1%
	Anwar	100.0%	97.3%	96.6%	60.0%	12.5%	70.0%	21.9%
	Cash	86.5%	92.3%	92.7%	0.0%		66.7%	58.1%
	Colbert		0.0%					
	Cricchio, M	100.0%	100.0%	100.0%	0.0%		100.0%	16.7%
	Holly		100.0%	100.0%			100.0%	
	Kansara	89.0%	89.7%	88.8%	62.5%	7.7%	28.6%	6.2%
	Khan							
	Smith	100.0%	98.2%	98.0%	0.0%	75.0%	16.7%	33.3%
	Wheeler	100.0%	94.2%	94.8%	100.0%		71.4%	66.7%
SETMA 2 Totals:		95.9%	94.5%	94.2%	57.1%	38.6%	65.7%	45.4%
SETMA Lumberton	Anwar	100.0%	95.6%	97.3%				
	Dao	93.0%	90.3%	90.1%		36.8%	100.0%	9.1%
	Elliott	93.3%	75.7%	76.8%			100.0%	28.6%
	Foster	93.2%	86.8%	88.4%	0.0%	0.0%	44.4%	10.0%
	Holly	100.0%	100.0%	100.0%				



HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

	Provider	Annual Monitoring for Patients on							
Location		Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic	
SETMA Lumberton	Le	100.0%	85.9%	88.5%		0.0%	0.0%	0.0%	
	Minsloff								
	Read	100.0%	91.2%	91.2%		0.0%	20.0%	6.2%	
SETMA Lumberton Totals:		94.8%	88.0%	88.5%	0.0%	20.0%	52.4%	11.1%	
SETMA Mid	Arcala, A	100.0%	85.2%	83.8%		33.3%	100.0%	0.0%	
County	Arcala, F	85.7%	86.3%	86.6%		66.7%	100.0%	0.0%	
	Castro	97.6%	97.5%	97.4%		66.7%	92.3%	71.1%	
	Cricchio, M	97.1%	93.0%	92.7%	50.0%	50.0%	75.0%	57.1%	
	George	97.7%	79.4%	77.6%		0.0%	100.0%	0.0%	
	Shepherd	95.2%	97.4%	97.4%	100.0%	21.1%	81.2%	34.8%	
	Thomas	95.7%	92.4%	93.5%	33.3%	73.3%	81.0%	53.3%	
SETMA Mid Co	SETMA Mid County Totals:		93.2%	93.1%	57.1%	43.5%	86.3%	52.3%	
SETMA Orange	Castro	100.0%	98.9%	98.8%			100.0%	50.0%	
	Cox	61.0%	77.4%	77.6%	0.0%	66.7%	65.4%	0.0%	
	Green	63.6%	75.9%	76.7%	25.0%	40.0%	58.8%	13.0%	
	McClure		100.0%	100.0%					
	Read	75.0%	79.0%	79.6%		0.0%	50.0%	0.0%	
	Shepherd	100.0%	97.2%	98.2%		100.0%	0.0%	100.0%	
SETMA Orange Totals:		66.3%	78.5%	79.0%	22.2%	48.1%	64.0%	16.3%	
SETMA PA	Arcala, A	50.0%	79.9%	81.5%	33.3%	50.0%	85.7%	0.0%	
	Arcala, F	86.7%	86.9%	86.6%	0.0%	71.4%	81.8%	0.0%	
	Castro		100.0%	100.0%					
	Shepherd		100.0%						
SETMA PA Totals:		80.6%	84.2%	84.8%	16.7%	68.8%	82.8%	0.0%	
SETMA West	Darden	88.0%	86.2%	88.0%	14.3%	50.0%	52.6%	38.1%	
	Deiparine, C	80.0%	90.7%	90.9%	77.8%	52.2%	69.2%	67.8%	



HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

		Annual Monitoring for Patients on						
Location	Provider	Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic
SETMA West	Halbert	87.2%	84.2%	84.5%	10.5%	27.3%	50.0%	32.0%
	Horn	93.6%	92.2%	92.8%	100.0%	22.2%	61.1%	40.6%
	Khan	93.9%	82.7%	84.4%	16.7%	25.0%	40.0%	36.0%
	Qureshi	95.5%	94.0%	93.8%	10.0%	16.7%	52.8%	25.0%
SETMA West Totals:		90.2%	88.3%	89.0%	40.3%	37.3%	55.7%	43.6%
SETMA Totals:		93.1%	90.8%	91.1%	54.0%	38.7%	69.1%	38.0%

Annual Monitoring for Patients on Persistent Medications

Patients with an active prescription of digoxin should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription of a diuretic should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription of an ACE or ARB should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription for an anticonvulsant should have a corresponding drug level checked at least yearly.