



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

Location	Provider	Adult BMI	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Childhood Immunizations	Colorectal Cancer Screening	Lead Screening in Children	Child BMI
SETMA 1	Aziz	90.9%	58.9%	31.5%	--	--	87.2%	--	--
	Duncan	95.5%	41.4%	68.3%	--	--	92.0%	--	--
	Henderson	96.5%	58.6%	65.2%	--	--	88.8%	--	--
	Holly	97.6%	66.7%	50.0%	--	--	95.7%	--	--
	Le	100.0%	42.5%	89.3%	--	--	92.7%	--	--
	Murphy	97.2%	57.1%	53.4%	--	--	89.5%	--	--
	Palang	96.1%	56.8%	52.5%	--	--	89.2%	--	--
	Thomas	100.0%	0.0%	100.0%	--	--	100.0%	--	--
SETMA 1 Totals:		95.8%	52.5%	61.0%	--	--	89.9%	--	--
SETMA 2	Akhter	100.0%	41.2%	39.6%	--	--	90.1%	--	--
	Anthony	97.5%	46.8%	43.1%	--	--	81.2%	--	--
	Anwar	97.8%	55.6%	51.0%	--	--	91.0%	--	--
	Cash	100.0%	49.1%	44.4%	--	--	85.3%	--	--
	Cricchio, M	97.3%	24.0%	30.8%	--	--	91.8%	--	--
	Kansara	98.0%	54.6%	44.6%	--	--	83.7%	--	--
	Smith	95.9%	42.9%	68.2%	--	--	90.1%	--	--
	Wheeler	96.9%	39.8%	73.3%	--	--	88.6%	--	--
SETMA 2 Totals:		97.9%	46.1%	56.5%	--	--	87.9%	--	--
SETMA Lumberton	Anwar	100.0%	40.0%	25.0%	--	--	84.6%	--	--
	Dao	99.1%	44.2%	48.4%	--	--	94.9%	--	--
	Elliott	100.0%	25.7%	52.0%	--	--	90.4%	--	--
	Foster	98.9%	46.5%	60.8%	0.0%	--	93.4%	--	--
	Le	94.4%	25.0%	33.3%	--	--	84.6%	--	--
	Read	99.3%	53.6%	37.6%	--	--	88.9%	--	--
SETMA Lumberton Totals:		99.1%	46.2%	49.7%	0.0%	--	92.0%	--	--
SETMA Mid County	Arcala, A	100.0%	41.7%	30.0%	--	--	100.0%	--	--
	Arcala, F	100.0%	50.0%	75.0%	--	--	100.0%	--	--



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

Location	Provider	Adult BMI	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Childhood Immunizations	Colorectal Cancer Screening	Lead Screening in Children	Child BMI
SETMA Mid County	Castro	98.9%	59.5%	53.7%	--	--	90.5%	--	--
	Cricchio, M	96.9%	49.5%	45.2%	--	--	92.8%	--	--
	George	100.0%	38.7%	52.0%	--	--	73.5%	--	--
	Shepherd	99.4%	44.9%	38.6%	--	--	96.4%	--	--
	Thomas	98.4%	59.5%	65.6%	--	--	87.9%	--	--
SETMA Mid County Totals:		98.7%	52.4%	48.9%	--	--	91.4%	--	--
SETMA Orange	Castro	100.0%	52.9%	84.6%	--	--	93.3%	--	--
	Cox	95.4%	53.0%	51.6%	--	--	94.4%	--	--
	Green	97.0%	45.5%	74.3%	--	--	94.4%	--	--
	Read	100.0%	60.0%	80.0%	--	--	95.2%	--	--
	Shepherd	--	--	--	--	--	100.0%	--	--
SETMA Orange Totals:		96.8%	49.8%	67.9%	--	--	94.4%	--	--
SETMA PA	Arcala, A	100.0%	51.9%	29.2%	--	--	100.0%	--	--
	Arcala, F	97.2%	52.0%	42.1%	--	--	100.0%	--	--
SETMA PA Totals:		98.6%	51.9%	34.9%	--	--	100.0%	--	--
SETMA West	Darden	98.9%	45.4%	47.6%	--	--	90.6%	--	--
	Deiparine, C	99.2%	48.5%	49.0%	--	--	93.4%	--	--
	Halbert	96.3%	35.3%	27.6%	--	--	86.7%	--	--
	Horn	99.4%	50.1%	49.5%	--	--	93.2%	--	--
	Khan	98.2%	44.1%	42.4%	--	--	88.6%	--	--
	Qureshi	97.8%	37.1%	46.8%	--	--	90.4%	--	--
SETMA West Totals:		98.4%	44.6%	44.9%	--	--	90.6%	--	--
SETMA Totals:		97.7%	48.1%	53.2%	0.0%	--	90.1%	--	--

Adult Body Mass Assessment - Calculation of Body Mass Index (BMI) for patients 18 to 74 years of age.

Breast Cancer Screening - Yearly mammography screening for women 40 to 69 years of age.

Cervical Cancer Screening - Cervical cancer screening for women 21 to 64 years of age at least every two years.



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only
Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

Chlamydia Screening - Sexually active females between the ages of 16 and 24 should have a Chlamydia screening at least yearly.

Childhood Immunizations - Children should have the following immunizations by their second birthday: four diphtheria, tetanus and acellular pertussis (DTaP/DT), three polio (IPV), one measles, mumps and rubella (MMR), two H influenza type B (HiB) three hepatitis B, one chicken pox (VZV) and four pneumococcal conjugate vaccines.

Colorectal Cancer Screening - Patients 50 to 80 years of age should have at least one of the following: a colonoscopy within the last nine years, a flexible sigmoidoscopy within the last four years, a double contrast barium enema within the last four years or a fecal occult blood test within the last year.

Lead Screening in Children - Children should have a serum lead screening by the time of their second birthday.

Childhood Body Mass Assessment - Children 2 to 18 years of age should have the Body Mass Index (BMI) percentile documented.