

PQRS - Preventive Measures - Influenza, Pneumococcal, Urinary Incontinence

E & M Codes: Specific PQRI Preventative Measures E&M Codes

Encounter Date(s): Jan 1, 2015 through Mar 31, 2015

Report Criteria: Patients 50 And Older Medicare Insurance Only

Location	Provider	Influenza Immunization			Pneumococcal Vaccination			
		Administered	Not Administered for Documented Reason	Not Administered During Season	Administered	Not Administered for Documented Reason	Not Administered	Urinary Incontinence Assessed*
SETMA 1	Aziz	56.0%	28.4%	15.6%	89.5%	9.5%	1.0%	96.2%
	Duncan	56.0%	14.5%	29.4%	85.4%	5.7%	8.9%	98.3%
	Henderson	56.5%	30.9%	12.6%	89.2%	9.6%	1.2%	100.0%
	Holly	73.6%	5.4%	20.9%	91.5%	2.1%	6.4%	100.0%
	Le	48.4%	16.2%	35.4%	71.5%	12.7%	15.8%	73.6%
	Murphy	71.9%	7.9%	20.2%	88.2%	2.9%	8.9%	99.6%
	Palang	50.4%	15.0%	34.6%	73.4%	9.1%	17.6%	100.0%
	Thomas	33.3%	5.6%	61.1%	20.0%	20.0%	60.0%	100.0%
	SETMA 1 Totals:	57.8%	17.4%	24.8%	83.2%	7.5%	9.3%	97.3%
SETMA 2	Akhter	48.2%	23.5%	28.3%	79.0%	11.3%	9.7%	95.9%
	Anthony	69.9%	14.2%	16.0%	98.2%	1.1%	0.7%	98.5%
	Anwar	68.2%	13.0%	18.9%	93.1%	1.9%	5.0%	93.1%
	Cash	63.4%	16.5%	20.1%	85.4%	7.0%	7.6%	99.5%
	Colbert							
	Cricchio, M	46.3%	7.3%	46.3%	60.0%	4.0%	36.0%	62.5%
	Holly	0.0%	100.0%	0.0%				
	Kansara	58.3%	15.8%	25.9%	63.0%	8.7%	28.4%	92.6%
	McClure	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%
	Smith	50.8%	12.9%	36.3%	72.4%	4.4%	23.2%	80.7%
	Wheeler	60.2%	19.8%	20.1%	97.3%	1.8%	0.9%	97.9%
	SETMA 2 Totals:	61.1%	15.8%	23.1%	82.9%	4.9%	12.2%	93.3%
SETMA Lumberton	Anwar	66.7%	12.5%	20.8%	94.4%	0.0%	5.6%	100.0%
	Dao	56.1%	14.8%	29.1%	80.6%	4.3%	15.1%	97.3%



PQRS - Preventive Measures - Influenza, Pneumococcal, Urinary Incontinence

E & M Codes: Specific PQRI Preventative Measures E&M Codes

Encounter Date(s): Jan 1, 2015 through Mar 31, 2015

Report Criteria: Patients 50 And Older Medicare Insurance Only

Influenza Immunization **Pneumococcal Vaccination** Not Not Not Administered Administered Urinary **Administered** Not Location **Provider** Administered for Administered for Incontinence **Administered During Documented Documented** Assessed* Season Reason Reason 26.2% SETMA Lumberton Foster 52.4% 21.3% 83.7% 7.0% 9.3% 95.9% Holly 87.5% 0.0% 12.5% 84.6% 0.0% 15.4% 80.0% Le 51.1% 8.5% 40.4% 65.2% 0.0% 34.8% 88.9% 57.1% 18.5% 24.4% 83.3% 6.5% 10.3% 98.5% Read **SETMA Lumberton Totals:** 97.0% 56.0% 17.4% 26.6% 82.3% 5.6% 12.1% SETMA Mid 6.7% 26.7% 1.5% Castro 66 4% 27.0% 71.9% 100.0% County Cricchio. M 23.5% 65.2% 93.3% 55.8% 20.8% 20.6% 14.3% 56.9% 10.9% 32.3% 75.1% 14.7% 10.2% 98.1% George Shepherd 63.5% 18.3% 79.8% 12.8% 7.4% 99.6% 18.2% Thomas 41.5% 21.2% 37.3% 48.8% 22.7% 28.5% 93.4% **SETMA Mid County Totals:** 58.5% 21.2% 20.3% 70.6% 19.5% 9.9% 97.5% 0.0% SETMA Orange Castro 65.2% 30.4% 4.3% 63.9% 36.1% 100.0% Cox 47.7% 16.8% 35.5% 60.7% 10.4% 28.9% 99.2% 66.5% 25.3% 8.2% 70.3% 7.8% 21.9% Green 94.9% McClure 0.0% 0.0% 100.0% --100.0% Shepherd 64 2% 18.9% 17.0% 76.3% 7.9% 15.8% **SETMA Orange Totals:** 56.3% 20.7% 23.0% 65.1% 10.5% 24.5% 97.5% SETMA PA 41.9% 20.5% 26.5% 15.4% Arcala, A 37.7% 58.1% 96.6% Arcala, F 69.5% 20.0% 10.5% 66.1% 18.2% 15.7% 98.7% **SETMA PA Totals:** 61.1% 20.1% 18.7% 53.1% 17.3% 29.6% 97.7% SETMA West 75.5% 15.7% 8.8% Darden 42.1% 27.1% 30.8% 99.4% 45.4% Deiparine, C 36.1% 18.6% 78.4% 5.1% 16.5% 96.7% Halbert 37.5% 32.3% 30.2% 60.7% 20.5% 18.9% 97.6%



PQRS - Preventive Measures - Influenza, Pneumococcal, Urinary Incontinence

E & M Codes: Specific PQRI Preventative Measures E&M Codes

Encounter Date(s): Jan 1, 2015 through Mar 31, 2015

Report Criteria: Patients 50 And Older Medicare Insurance Only

		Influenza Immunization			Pneumococcal Vaccination			
Location	Provider	Administered	Not Administered for Documented Reason	Not Administered During Season	Administered	Not Administered for Documented Reason	Not Administered	Urinary Incontinence Assessed*
SETMA West	Horn	54.0%	33.7%	12.3%	82.0%	12.7%	5.3%	98.1%
	Khan	49.7%	33.0%	17.3%	61.0%	19.5%	19.5%	96.7%
	Qureshi	36.5%	27.0%	36.5%	59.8%	20.6%	19.6%	98.4%
SETMA West Totals:		42.1%	29.0%	28.8%	68.3%	16.4%	15.4%	97.8%
SETMA Totals:		55.3%	20.4%	24.3%	75.6%	10.9%	13.6%	96.5%

^{*}Urinary Incontinence Assessment applicable to only female patients over 65.