



## HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Adult BMI	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Childhood Immunizations	Colorectal Cancer Screening	Lead Screening in Children	Child BMI
SETMA 1	Aziz	93.3%	55.9%	47.0%	--	--	91.9%	--	--
	Duncan	98.3%	43.7%	52.3%	--	--	90.0%	--	--
	Henderson	98.3%	51.9%	58.0%	--	--	87.1%	--	--
	Holly	98.4%	55.0%	51.7%	--	--	96.9%	--	--
	Le	99.1%	49.7%	63.3%	--	--	88.0%	--	--
	Murphy	99.0%	61.8%	45.0%	--	--	86.5%	--	--
	Palang	95.3%	57.4%	54.2%	--	--	86.2%	--	--
	Thomas	100.0%	71.4%	0.0%	--	--	100.0%	--	--
<b>SETMA 1 Totals:</b>		97.5%	52.1%	53.9%	--	--	88.5%	--	--
SETMA 2	Akhter	98.7%	39.3%	38.6%	--	--	92.6%	--	--
	Anthony	96.5%	54.4%	35.8%	--	--	85.0%	--	--
	Anwar	96.3%	46.0%	50.5%	--	--	92.2%	--	--
	Cash	100.0%	40.5%	22.9%	--	--	85.2%	--	--
	Kansara	95.2%	40.4%	51.8%	--	--	85.5%	--	--
	Lampkin	--	--	--	--	--	100.0%	--	--
	Smith	97.5%	53.3%	60.8%	--	--	88.2%	--	--
	Wheeler	96.8%	47.3%	70.5%	--	--	82.8%	--	--
<b>SETMA 2 Totals:</b>		97.2%	46.2%	52.4%	--	--	87.6%	--	--
SETMA Lumberton	Dao	97.3%	29.0%	36.0%	--	--	87.7%	--	--
	Elliott	99.2%	25.4%	24.5%	--	--	90.1%	--	--
	Foster	100.0%	38.5%	49.1%	--	--	84.6%	--	--
	Read	97.2%	29.9%	38.6%	--	--	82.0%	--	--
<b>SETMA Lumberton Totals:</b>		98.6%	32.8%	40.7%	--	--	85.9%	--	--
SETMA Mid County	Arcala, A	100.0%	58.5%	63.2%	--	--	88.2%	--	--
	Castro	98.7%	54.5%	43.9%	--	--	87.9%	--	--
	Cricchio, M	99.0%	45.6%	32.8%	--	--	88.0%	--	--
	Feldschau	98.4%	48.1%	47.1%	--	--	86.2%	--	--



## HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Adult BMI	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Childhood Immunizations	Colorectal Cancer Screening	Lead Screening in Children	Child BMI
SETMA Mid County	George	100.0%	57.6%	11.1%	--	--	60.4%	--	--
	Le	100.0%	0.0%	0.0%	--	--	100.0%	--	--
	Ramirez	94.7%	56.2%	81.8%	--	--	100.0%	--	--
	Shepherd	100.0%	63.3%	44.6%	--	--	89.8%	--	--
	Thomas	91.8%	41.0%	32.4%	--	--	94.4%	--	--
<b>SETMA Mid County Totals:</b>		98.6%	53.9%	42.9%	--	--	87.3%	--	--
SETMA Orange	Castro	93.8%	60.0%	27.3%	--	--	90.0%	--	--
	Cox	96.7%	52.0%	41.7%	--	--	93.0%	--	--
	Green	99.0%	48.2%	73.9%	--	--	93.8%	--	--
	Read	100.0%	45.5%	58.8%	--	--	96.3%	--	--
	Shepherd	100.0%	25.0%	33.3%	--	--	100.0%	--	--
<b>SETMA Orange Totals:</b>		97.9%	49.8%	58.9%	--	--	93.5%	--	--
SETMA West	Darden	100.0%	38.2%	52.1%	100.0%	--	85.4%	--	--
	Deiparine, C	99.4%	53.9%	52.2%	--	--	91.4%	--	--
	Halbert	98.0%	37.2%	21.4%	--	--	86.2%	--	--
	Horn	99.4%	41.7%	44.9%	100.0%	--	91.6%	--	--
	Khan	100.0%	41.7%	37.5%	--	--	95.0%	--	--
	Qureshi	99.6%	52.4%	35.1%	--	--	94.5%	--	--
<b>SETMA West Totals:</b>		99.4%	43.2%	43.0%	100.0%	--	90.1%	--	--
<b>SETMA Totals:</b>		98.2%	46.7%	48.3%	100.0%	--	88.6%	--	--

Adult Body Mass Assessment - Calculation of Body Mass Index (BMI) for patients 18 to 74 years of age.

Breast Cancer Screening - Yearly mammography screening for women 40 to 69 years of age.

Cervical Cancer Screening - Cervical cancer screening for women 21 to 64 years of age at least every two years.

Chlamydia Screening - Sexually active females between the ages of 16 and 24 should have a Chlamydia screening at least yearly.

Childhood Immunizations - Children should have the following immunizations by their second birthday: four diphtheria, tetanus and acellular pertussis (DTaP/DT), three polio (IPV), one measles, mumps and rubella (MMR), two H influenza type B (HiB) three hepatitis B, one chicken pox (VZV) and four pneumococcal conjugate vaccines.



## **HEDIS - Effectiveness of Preventive Care**

---

E & M Codes:           Clinic Only  
Encounter Date(s):     Jan 1, 2016 through Dec 31, 2016

---

Colorectal Cancer Screening - Patients 50 to 80 years of age should have at least one of the following: a colonoscopy within the last nine years, a flexible sigmoidoscopy within the last four years, a double contrast barium enema within the last four years or a fecal occult blood test within the last year.

Lead Screening in Children - Children should have a serum lead screening by the time of their second birthday.

Childhood Body Mass Assessment - Children 2 to 18 years of age should have the Body Mass Index (BMI) percentile documented.