

NQF - Medication Measures

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Documen- tation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA 1	Aziz	95.2%	86.4%		79.4%	26.7%	16.2%	99.9%	53.0%
	Cash	100.0%				0.0%	0.0%	100.0%	
	Duncan	92.0%	89.0%	50.0%	75.6%	41.3%	18.5%	98.4%	46.0%
	Henderson	94.7%	81.6%	0.0%	73.8%	30.5%	11.6%	99.9%	53.8%
	Holly	95.4%	100.0%		77.9%	14.9%	5.1%	99.3%	63.6%
	Le	93.4%	90.9%		81.8%	36.9%	11.0%	99.7%	41.3%
	Murphy	95.2%	93.2%	0.0%	81.2%	29.8%	9.5%	99.8%	40.5%
	Palang	95.8%	82.0%	16.7%	74.7%	30.6%	8.8%	99.1%	45.6%
	Thomas	100.0%	100.0%		70.0%	26.9%	5.8%	100.0%	100.0%
9	ETMA 1 Totals:	94.6%	87.0%	20.0%	77.5%	31.1%	11.8%	99.5%	47.4%
SETMA 2	Akhter	88.3%	87.1%	0.0%	87.0%	25.8%	8.5%	100.0%	33.9%
	Anthony	88.7%	72.7%	0.0%	79.2%	33.4%	15.1%	99.7%	27.7%
	Anwar	95.5%	68.2%		76.5%	24.9%	7.1%	99.6%	49.2%
	Cash	99.9%	58.3%	0.0%	85.5%	31.3%	9.2%	100.0%	41.9%
	Colbert	94.9%	65.0%					99.3%	
	Kansara	89.9%	83.0%		75.7%	24.7%	8.2%	99.8%	27.3%
	Lampkin	60.0%			66.7%	0.0%	0.0%	40.0%	
	Smith	83.2%	76.5%		78.1%	32.9%	12.8%	99.5%	57.7%
	Wheeler	11.0%	79.5%	100.0%	59.1%	41.3%	19.0%	99.3%	33.0%
9	SETMA 2 Totals:	81.1%	73.9%	16.7%	77.7%	29.1%	10.5%	99.6%	37.7%
SETMA	Dao	94.8%	84.6%	100.0%	75.1%	37.5%	12.8%	99.6%	38.1%
Lumberton	Elliott	96.7%	86.0%		76.7%	28.0%	8.0%	100.0%	55.2%
	Foster	98.7%	87.8%	16.7%	78.5%	33.8%	14.2%	99.8%	56.3%
	Minsloff	88.3%	83.3%					99.1%	



NQF - Medication Measures

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Documen- tation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA Lumberton	Read	98.1%	88.4%		76.3%	29.0%	8.7%	99.9%	51.2%
SETMA Lum	berton Totals:	95.2%	87.0%	33.3%	76.7%	32.6%	11.2%	99.7%	49.1%
SETMA Mid	Akhter	0.0%				100.0%	0.0%	100.0%	
County	Arcala, A	99.3%	100.0%	50.0%	84.3%	27.9%	11.6%	99.8%	39.3%
	Castro	97.3%	84.2%	46.7%	88.9%	28.8%	11.2%	99.7%	29.6%
	Cox	100.0%			0.0%	0.0%	0.0%	100.0%	
	Cricchio, M	98.4%	86.1%	66.7%	88.1%	34.4%	13.8%	100.0%	42.6%
	Feldschau	97.7%	82.4%	12.5%	81.2%	36.0%	13.1%	100.0%	27.3%
	George	61.2%	100.0%	0.0%	82.4%	28.7%	9.1%	99.5%	37.3%
	Green	100.0%						100.0%	
	Henderson	100.0%				0.0%	0.0%	100.0%	
	Le	92.9%			33.3%	41.4%	10.3%	100.0%	0.0%
	Ramirez	97.6%	100.0%	14.3%	86.4%	40.7%	18.6%	100.0%	50.0%
	Read	100.0%				0.0%	0.0%	100.0%	
	Shepherd	97.2%	84.6%	0.0%	86.1%	23.2%	6.6%	100.0%	37.6%
	Thomas	99.0%	87.5%		83.6%	31.5%	13.4%	99.9%	22.6%
SETMA Mid	County Totals:	95.5%	86.4%	25.5%	85.4%	29.0%	10.7%	99.9%	34.6%
SETMA Orange	Castro	96.5%		50.0%	83.6%	30.0%	12.9%	99.4%	25.0%
	Cox	97.4%	66.2%	0.0%	82.8%	33.1%	12.6%	100.0%	26.4%
	Green	97.5%	69.7%	0.0%	79.2%	50.8%	22.4%	99.6%	35.2%
	Read	97.9%	57.9%		82.2%	38.2%	13.3%	100.0%	20.0%
	Shepherd	92.9%	0.0%		97.4%	20.9%	7.3%	100.0%	40.0%
SETMA	Orange Totals:	97.4%	67.1%	11.1%	82.0%	39.5%	16.0%	99.8%	29.2%
SETMA PA	Arcala, A	100.0%				0.0%	0.0%	100.0%	



NQF - Medication Measures

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Documen- tation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA PA Totals:		100.0%				0.0%	0.0%	100.0%	
SETMA West	Darden	95.4%	81.4%	0.0%	69.1%	36.6%	13.8%	99.9%	26.5%
	Deiparine, C	96.8%	83.3%		81.9%	23.8%	7.1%	99.8%	48.1%
	Foster	100.0%						100.0%	
	Halbert	86.6%	79.4%	100.0%	70.9%	25.9%	9.5%	99.8%	39.4%
	Horn	96.6%	76.3%	33.3%	74.5%	24.8%	6.8%	100.0%	36.1%
	Khan	98.2%	94.7%		73.7%	28.8%	11.0%	100.0%	26.7%
	Murphy	100.0%				0.0%	0.0%	100.0%	
	Qureshi	96.2%	100.0%	0.0%	76.2%	29.0%	12.9%	99.9%	36.9%
SETMA West Totals:		94.5%	83.2%	20.0%	73.8%	27.3%	9.6%	99.9%	37.3%
SETMA Totals:		92.0%	80.9%	23.7%	78.1%	30.4%	11.2%	99.7%	40.5%

Documentation of Allergies/Reactions - Percentage of patients having documentation of allergies and adverse reactions in their medical record.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

LDL Drug Therapy - Percentage of patients with CAD who were prescribed a lipid-lowering therapy.

Current Medication List - Percentage of patients having a medication list on their medical record.

Warfarin Therapy for Patients with Atrial Fibrilation - Percentage of patients with atrial fibrilation who were perscribed warfarin therapy.