



HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

| Location | Provider | Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis | Appropriate Testing for Children with Pharyngitis | Appropriate Treatment for Children with Upper Respiratory Infection |
|------------------------|-----------|---|---|---|
| SETMA 1 | Aziz | -- | -- | -- |
| | Duncan | 66.7% | 80.0% | 0.0% |
| | Halbert | -- | -- | -- |
| | Henderson | 100.0% | 42.9% | 0.0% |
| | Holly | 0.0% | -- | -- |
| | Le | -- | 15.8% | 75.0% |
| | Murphy | 0.0% | 100.0% | -- |
| | Palang | 0.0% | -- | -- |
| | Qureshi | -- | -- | -- |
| | Ramirez | -- | -- | -- |
| | Smith | -- | -- | -- |
| | Thomas | -- | -- | -- |
| SETMA 1 Totals: | | 30.0% | 37.0% | 50.0% |
| SETMA 2 | Akhter | 0.0% | -- | -- |
| | Anthony | -- | 30.0% | 43.4% |
| | Anwar | -- | -- | 100.0% |
| | Cash | -- | -- | -- |
| | Colbert | -- | 65.8% | 68.6% |
| | Darden | -- | -- | -- |
| | Kansara | -- | -- | -- |
| | Le | -- | -- | -- |
| | Murphy | -- | -- | -- |
| | Palang | -- | -- | -- |
| | Smith | 0.0% | 54.1% | 30.8% |
| | Wheeler | -- | 83.0% | 28.8% |
| SETMA 2 Totals: | | 0.0% | 64.6% | 48.4% |



HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

| Location | Provider | Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis | Appropriate Testing for Children with Pharyngitis | Appropriate Treatment for Children with Upper Respiratory Infection |
|---------------------------------|-----------|---|---|---|
| SETMA Lumberton | Castro | 16.7% | 100.0% | -- |
| | Colbert | -- | 75.4% | 73.3% |
| | Feldschau | -- | -- | -- |
| | Foster | 33.3% | 76.0% | 22.2% |
| | Halbert | -- | -- | -- |
| | Holly | -- | -- | -- |
| | Horn | -- | -- | 0.0% |
| | Kansara | -- | -- | -- |
| | Khan | 0.0% | -- | -- |
| | Palang | -- | -- | -- |
| | Qureshi | 0.0% | -- | -- |
| | Ramirez | 10.0% | 62.5% | 0.0% |
| SETMA Lumberton Totals: | | 12.0% | 74.2% | 52.2% |
| SETMA Mid County | Castro | 52.9% | -- | -- |
| | Feldschau | 57.1% | 25.0% | -- |
| | George | 66.7% | -- | -- |
| | Le | -- | 22.2% | 100.0% |
| | Ramirez | 25.0% | -- | -- |
| | Shepherd | 0.0% | -- | -- |
| | Thomas | -- | -- | -- |
| SETMA Mid County Totals: | | 50.0% | 23.1% | 100.0% |
| SETMA Orange | Castro | 66.7% | -- | -- |
| | Cox | 33.3% | 50.0% | 18.5% |
| | Green | 50.0% | 60.0% | 8.3% |
| | Shepherd | -- | -- | -- |
| SETMA Orange Totals: | | 50.0% | 57.9% | 15.4% |



HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

| Location | Provider | Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis | Appropriate Testing for Children with Pharyngitis | Appropriate Treatment for Children with Upper Respiratory Infection |
|---------------------------|--------------|---|---|---|
| SETMA West | Akhter | -- | -- | -- |
| | Darden | 0.0% | 0.0% | -- |
| | Deiparine, C | -- | -- | -- |
| | Halbert | 0.0% | 25.0% | 20.0% |
| | Horn | 0.0% | 75.0% | 13.3% |
| | Khan | -- | -- | 0.0% |
| | Qureshi | 9.5% | -- | -- |
| SETMA West Totals: | | 7.1% | 50.0% | 13.0% |
| SETMA Totals: | | 28.7% | 64.5% | 43.1% |

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

Appropriate Testing for Children with Pharyngitis - Patients 2 to 18 years of age who were diagnosed with Pharyngitis and given an antibiotic and a strep test for the episode.

Appropriate Treatment for Children with Upper Respiratory Infection - Patients 3 months to 18 years of age who were diagnosed with upper respiratory infection and not prescribed an antibiotic.