

## HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes:Clinic OnlyEncounter Date(s):Jan 1, 2017 through Dec 31, 2017

		Antidepressant Medication Management		Cholesterol Management for Patients with Cardiovascular Conditions		Pharmacotherapy Management of Acute COPD Exacerbation	
Location	Provider	Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corti- steriod Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA 1	Aziz	4.3%	2.6%	96.5%	84.0%	22.2%	3.5%
	Duncan	2.9%	2.4%	89.9%	84.5%	33.8%	4.5%
	Halbert	0.0%	0.0%	66.7%	66.7%		
	Henderson	7.4%	6.1%	94.6%	84.6%	40.7%	3.2%
	Holly	2.9%	0.0%	96.8%	81.0%	16.7%	0.0%
	Le	10.5%	10.5%	81.5%	80.7%	31.8%	3.9%
	Murphy	8.0%	7.4%	95.6%	87.8%	25.4%	4.3%
	Palang	9.2%	8.4%	84.5%	87.1%	25.7%	4.2%
	Qureshi			80.0%	100.0%	50.0%	0.0%
	Ramirez	0.0%	0.0%	100.0%	100.0%	33.3%	0.0%
	Smith	100.0%	100.0%	75.0%	100.0%	100.0%	0.0%
	Thomas	14.3%	14.3%	81.8%	72.7%	26.3%	0.0%
	SETMA 1 Totals:	6.8%	6.0%	91.5%	85.0%	29.1%	3.8%
SETMA 2	Akhter	10.2%	10.2%	93.8%	85.5%	20.3%	3.4%
	Anthony	0.0%	0.0%	97.8%	85.5%	28.1%	3.1%
	Anwar	8.6%	6.1%	93.2%	83.6%	19.7%	3.3%
	Cash						
	Colbert						
	Darden	33.3%	33.3%			0.0%	0.0%
	Kansara	0.0%	0.0%	93.5%	82.1%	21.7%	1.4%
	Le						
	Murphy					100.0%	0.0%
	Palang						
	Smith	6.1%	5.1%	89.1%	82.2%	41.6%	2.6%



## HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes:Clinic OnlyEncounter Date(s):Jan 1, 2017 through Dec 31, 2017

		Antidepressant Medication Management Cholesterol Management f Patients with Cardiovascul Conditions		Cardiovascular			
Location	Provider	Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corti- steriod Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA 2	Wheeler	7.9%	7.3%	93.1%	76.7%	41.2%	1.7%
SETMA 2 Totals:		6.9%	6.0%	93.5%	83.3%	27.7%	2.2%
SETMA Lumberton	Castro	11.7%	9.1%	96.3%	83.3%	16.7%	22.2%
	Colbert						
	Feldschau	100.0%	100.0%				
	Foster	5.3%	2.7%	92.8%	84.9%	23.0%	4.9%
	Halbert			50.0%	50.0%		
	Holly	2.9%	2.9%	98.3%	84.5%	16.7%	0.0%
	Horn	0.0%	0.0%			0.0%	0.0%
	Kansara	0.0%	0.0%	96.7%	96.7%	27.0%	3.2%
	Khan	0.0%	0.0%	92.9%	78.6%	16.7%	11.1%
	Palang						
	Qureshi	0.0%	0.0%	91.2%	97.1%	75.0%	0.0%
	Ramirez	1.6%	1.6%	89.7%	82.2%	28.4%	3.0%
SETMA Lumberton Totals:		4.1%	2.9%	92.5%	84.7%	27.0%	4.4%
SETMA Mid County	Castro	8.3%	7.3%	96.8%	85.3%	37.6%	7.7%
	Feldschau	3.4%	2.6%	93.9%	85.8%	32.2%	11.6%
	George	4.7%	4.7%	73.4%	69.6%	19.2%	0.0%
	Le	4.0%	4.0%	87.5%	85.4%	35.0%	0.0%
	Ramirez	0.0%	0.0%	93.3%	83.3%	35.6%	1.7%
	Shepherd	6.7%	6.7%	96.9%	84.3%	26.3%	0.0%
	Thomas	11.5%	10.7%	87.5%	94.1%	19.7%	6.6%
SETMA Mid County Totals:		5.9%	5.4%	92.4%	85.1%	29.9%	8.4%
SETMA Orange	Castro	18.8%	16.7%	100.0%	98.1%	42.9%	0.0%



## **HEDIS - Effectiveness of Chronic Care - Clinic / Hospital**

E & M Codes:Clinic OnlyEncounter Date(s):Jan 1, 2017 through Dec 31, 2017

		Antidepressant Medication Management		Cholesterol Management for Patients with Cardiovascular Conditions		Pharmacotherapy Management of Acute COPD Exacerbation	
Location	Provider	Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corti- steriod Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA Orange	Сох	21.5%	20.3%	83.9%	82.0%	21.7%	9.6%
	Green	2.5%	2.5%	85.6%	86.5%	31.5%	3.9%
	Shepherd	7.7%	7.7%	97.1%	97.1%	100.0%	0.0%
SETMA Orange Totals:		8.7%	8.2%	86.5%	85.9%	28.5%	5.8%
SETMA West	Akhter						
	Darden	4.3%	2.7%	80.7%	75.5%	38.2%	5.9%
	Deiparine, C	3.5%	2.8%	90.8%	86.8%	42.3%	5.8%
	Halbert	5.5%	5.0%	83.4%	80.6%	21.9%	5.4%
	Horn	5.1%	4.3%	93.9%	78.9%	24.3%	1.3%
	Khan	0.9%	0.9%	90.4%	83.0%	15.3%	5.1%
	Qureshi	4.1%	4.1%	90.7%	84.4%	43.2%	7.4%
SETMA West Totals:		4.5%	3.8%	87.7%	81.2%	28.2%	4.5%
SETMA Totals:		5.8%	5.0%	90.9%	83.9%	28.7%	4.8%

Antidepressant Medication Management - Patients 18 years of age and older who were diagnosed with a new episode of major depression, treated with antidepressant medication, and who remained on an antidepressant medication treatment. Two rates are reported: Acute Phase Treatment (84 days) and Continuation Phase Treatment (180 days).

Cholesterol Management for Patients with Cardiovascular Conditions - Patients 18 to 75 years of age with cardiovascular disease who where (1) screened for LDL cholesterol within the last 12 months and (2) whose LDL cholesterol is adequately controlled (<130 mg/dL).

Pharmacotherapy Management of Acute COPD Exacerbation - Patients 40 years or age and older who were diagnosed with acute COPD exacerbation and were (1) dispensed a systemic corticosteroid within 14 days of the event and (2) dispensed a bronchodilator within 30 days of the event.