

HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

Location	Provider	Annual Monitoring for Patients on							
		Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic	
SETMA 1	Aziz	97.4%	98.4%	98.3%	54.5%	25.0%	74.1%	28.6%	
	Duncan	98.0%	90.2%	90.9%	50.0%	26.3%	45.0%	26.2%	
	Halbert		92.3%	90.0%					
	Henderson	100.0%	96.2%	96.3%	85.7%	25.0%	73.8%	51.6%	
	Holly	100.0%	96.6%	96.6%	0.0%		100.0%	0.0%	
	Le	92.3%	91.6%	92.3%	28.6%	23.8%	48.5%	2.9%	
	Murphy	100.0%	97.4%	97.6%	58.3%	29.2%	82.4%	28.1%	
	Palang	96.3%	92.4%	93.0%	21.4%	52.6%	40.0%	38.6%	
	Qureshi		90.0%	88.2%			100.0%		
	Ramirez		100.0%	100.0%					
	Smith	100.0%	96.8%	92.3%					
	Thomas		94.0%	95.1%	100.0%	0.0%	40.0%	0.0%	
SETMA 1 Totals:		97.0%	94.5%	94.9%	51.5%	29.4%	61.8%	31.3%	
SETMA 2	Akhter	95.8%	95.6%	95.6%	0.0%	0.0%	50.0%	31.1%	
	Anthony	97.2%	98.4%	98.5%	75.0%	100.0%	100.0%	66.7%	
	Anwar	100.0%	97.8%	98.2%	0.0%	0.0%	73.0%	22.7%	
	Cash		100.0%	100.0%					
	Colbert							0.0%	
	Darden		33.3%	30.0%					
	Kansara	96.7%	96.5%	96.2%	0.0%	18.8%	27.3%	7.7%	
	Le		0.0%	0.0%					
	Murphy								
	Palang								
	Smith	100.0%	97.6%	97.4%	50.0%	0.0%	100.0%	7.7%	
	Wheeler	96.6%	93.6%	93.1%	66.7%	0.0%	75.0%	21.4%	
SETMA 2 Totals:		97.6%	96.5%	96.4%	39.1%	16.2%	67.1%	24.5%	



HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

Location	Provider	Annual Monitoring for Patients on							
		Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic	
SETMA Lumberton	Castro	90.0%	95.3%	95.7%		100.0%	50.0%	71.4%	
	Colbert							0.0%	
	Feldschau		100.0%	100.0%					
	Foster	100.0%	92.9%	92.6%		28.6%	26.7%	0.0%	
	Halbert		100.0%	87.5%					
	Holly	100.0%	96.1%	95.7%	0.0%			0.0%	
	Horn	100.0%	97.4%	100.0%				0.0%	
	Kansara	75.0%	93.2%	93.1%	0.0%		100.0%	0.0%	
	Khan	100.0%	93.9%	94.5%	0.0%		0.0%	0.0%	
	Palang		100.0%						
	Qureshi	100.0%	97.9%	97.4%				33.3%	
	Ramirez	90.9%	92.1%	92.0%		12.5%	61.5%	14.7%	
SETMA Lumberton Totals:		93.9%	93.5%	93.3%	0.0%	29.4%	42.4%	18.3%	
SETMA Mid	Castro	100.0%	96.3%	96.7%	100.0%	75.0%	81.8%	52.4%	
County	Feldschau	100.0%	95.4%	95.4%	14.3%	18.2%	78.3%	54.1%	
	George	85.7%	70.1%	64.9%	100.0%		100.0%		
	Le	100.0%	95.0%	94.4%		50.0%	33.3%	0.0%	
	Ramirez	88.9%	89.0%	88.4%		40.0%	100.0%	75.0%	
	Shepherd	100.0%	97.2%	97.0%	0.0%	0.0%	88.9%	39.1%	
	Thomas	91.7%	91.6%	91.1%	50.0%	28.6%	86.0%	32.0%	
SETMA Mid County Totals:		97.9%	93.9%	93.6%	60.0%	21.0%	82.9%	44.7%	
SETMA Orange	Castro	100.0%	99.3%	98.9%		100.0%	100.0%	66.7%	
	Cox	87.9%	82.2%	82.5%	50.0%	0.0%	78.6%	18.2%	
	Green	89.7%	83.6%	83.2%	0.0%	50.0%	68.8%	37.9%	
	Shepherd	100.0%	96.9%	99.1%		0.0%		100.0%	
SETMA Orange Totals:		89.7%	84.3%	84.4%	11.1%	38.1%	78.4%	43.6%	



HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

		Annual Monitoring for Patients on						
Location	Provider	Digoxin	Diuretics	ACE or ARB	Pheno- barbital	Carba- mazepine	Phenytoin	Valproic
SETMA West	Akhter							
	Darden	81.8%	90.4%	90.9%	80.0%	21.4%	42.9%	80.0%
	Deiparine, C	94.9%	92.7%	93.3%	100.0%	61.1%	100.0%	66.7%
	Halbert	89.9%	87.2%	87.0%	23.1%	7.1%	66.7%	32.1%
	Horn	100.0%	95.2%	95.3%	66.7%	25.0%	91.7%	44.4%
	Khan	81.2%	91.8%	91.9%	66.7%	12.5%	73.3%	8.9%
	Qureshi	96.4%	97.0%	97.2%	80.0%	43.8%	46.2%	50.0%
SETMA West Totals:		92.0%	92.0%	92.2%	68.6%	32.4%	64.3%	44.1%
SETMA Totals:		95.4%	93.3%	93.4%	53.1%	27.1%	67.3%	34.7%

Annual Monitoring for Patients on Persistent Medications

Patients with an active prescription of digoxin should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription of a diuretic should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription of an ACE or ARB should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly. Patients with an active prescription for an anticonvulsant should have a corresponding drug level checked at least yearly.