



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

Location	Provider	Adult BMI	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Childhood Immunizations	Colorectal Cancer Screening	Lead Screening in Children	Child BMI
SETMA 1	Aziz	90.5%	45.6%	43.4%	--	--	91.4%	--	--
	Duncan	98.4%	49.6%	49.3%	--	--	87.3%	--	--
	Halbert	100.0%	--	--	--	--	100.0%	--	--
	Henderson	96.8%	49.8%	64.5%	--	--	86.9%	--	--
	Holly	98.2%	55.3%	37.9%	--	--	94.6%	--	--
	Le	99.5%	35.2%	44.6%	--	--	86.9%	--	--
	Murphy	97.8%	55.7%	40.2%	--	--	88.5%	--	--
	Palang	97.6%	55.7%	64.2%	--	--	86.8%	--	--
	Ramirez	100.0%	0.0%	0.0%	--	--	100.0%	--	--
	Smith	100.0%	100.0%	0.0%	--	--	100.0%	--	--
Thomas	100.0%	34.8%	40.0%	--	--	95.7%	--	--	
SETMA 1 Totals:		96.8%	49.0%	53.0%	--	--	88.1%	--	--
SETMA 2	Akhter	97.7%	39.5%	30.6%	--	--	91.7%	--	--
	Anthony	95.5%	50.0%	18.2%	--	--	85.1%	--	--
	Anwar	97.2%	52.0%	32.3%	--	--	88.9%	--	--
	Darden	--	--	--	--	--	0.0%	--	--
	Kansara	99.2%	61.8%	34.0%	--	--	77.5%	--	--
	Smith	96.7%	49.1%	50.3%	--	--	91.3%	--	--
	Wheeler	94.0%	47.5%	58.2%	--	--	80.0%	--	--
SETMA 2 Totals:		96.4%	48.4%	42.7%	--	--	86.5%	--	--
SETMA Lumberton	Castro	100.0%	38.6%	30.0%	--	--	80.3%	--	--
	Foster	100.0%	41.5%	47.1%	--	--	83.2%	--	--
	Halbert	100.0%	0.0%	--	--	--	0.0%	--	--
	Holly	96.3%	46.9%	41.7%	--	--	80.3%	--	--
	Horn	100.0%	40.0%	33.3%	--	--	100.0%	--	--
	Kansara	95.8%	37.5%	18.2%	--	--	82.9%	--	--
	Khan	100.0%	9.1%	41.7%	--	--	80.0%	--	--



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

Location	Provider	Adult BMI	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Childhood Immunizations	Colorectal Cancer Screening	Lead Screening in Children	Child BMI
SETMA Lumberton	Qureshi	93.3%	27.3%	40.0%	--	--	88.9%	--	--
	Ramirez	98.4%	40.0%	38.1%	--	--	88.3%	--	--
SETMA Lumberton Totals:		98.5%	37.9%	38.6%	--	--	84.6%	--	--
SETMA Mid County	Castro	98.5%	53.8%	37.3%	--	--	85.9%	--	--
	Feldschau	100.0%	46.1%	18.0%	--	--	85.8%	--	--
	George	100.0%	37.0%	0.0%	--	--	51.4%	--	--
	Le	96.8%	35.7%	47.1%	--	--	85.7%	--	--
	Ramirez	100.0%	33.3%	33.3%	--	--	91.9%	--	--
	Shepherd	100.0%	55.2%	12.7%	--	--	91.2%	--	--
Thomas	100.0%	33.3%	22.2%	--	--	86.0%	--	--	
SETMA Mid County Totals:		99.5%	47.4%	24.2%	--	--	85.6%	--	--
SETMA Orange	Castro	100.0%	53.3%	27.3%	--	--	86.0%	--	--
	Cox	94.0%	44.2%	46.8%	--	--	93.7%	--	--
	Green	96.5%	48.9%	59.3%	--	--	91.1%	--	--
	Shepherd	100.0%	33.3%	0.0%	--	--	100.0%	--	--
SETMA Orange Totals:		95.7%	46.8%	51.6%	--	--	91.9%	--	--
SETMA West	Darden	97.9%	39.1%	41.8%	--	--	88.4%	--	--
	Deiparine, C	99.5%	47.6%	47.1%	--	--	94.4%	--	--
	Halbert	94.9%	33.6%	23.2%	100.0%	--	87.6%	--	--
	Horn	99.8%	53.4%	47.2%	33.3%	--	89.0%	--	--
	Khan	97.5%	40.5%	50.5%	--	--	90.3%	--	--
	Qureshi	96.3%	41.6%	46.2%	--	--	90.0%	--	--
SETMA West Totals:		98.2%	45.2%	43.4%	50.0%	--	89.6%	--	--
SETMA Totals:		97.5%	46.5%	44.5%	50.0%	--	88.0%	--	--

Adult Body Mass Assessment - Calculation of Body Mass Index (BMI) for patients 18 to 74 years of age.

Breast Cancer Screening - Yearly mammography screening for women 40 to 69 years of age.



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

Cervical Cancer Screening - Cervical cancer screening for women 21 to 64 years of age at least every two years.

Chlamydia Screening - Sexually active females between the ages of 16 and 24 should have a Chlamydia screening at least yearly.

Childhood Immunizations - Children should have the following immunizations by their second birthday: four diphtheria, tetanus and acellular pertussis (DTaP/DT), three polio (IPV), one measles, mumps and rubella (MMR), two H influenza type B (HiB) three hepatitis B, one chicken pox (VZV) and four pneumococcal conjugate vaccines.

Colorectal Cancer Screening - Patients 50 to 80 years of age should have at least one of the following: a colonoscopy within the last nine years, a flexible sigmoidoscopy within the last four years, a double contrast barium enema within the last four years or a fecal occult blood test within the last year.

Lead Screening in Children - Children should have a serum lead screening by the time of their second birthday.

Childhood Body Mass Assessment - Children 2 to 18 years of age should have the Body Mass Index (BMI) percentile documented.